State of Arkansas OFFICE OF STATE PROCUREMENT 1509 West Seventh Street, Room 300 Little Rock, Arkansas 72201-3966 501-324-9316

STATE CONTRACT AWARD

THIS IS A <u>TERM</u> CONTRACT ISSUED BY THE OFFICE OF STATE PROCUREMENT. THIS IS NOT AUTHORITY TO SHIP. A SEPARATE PURCHASE ORDER WILL BE ISSUED. THIS CONTRACT CONSTITUTES ACCEPTANCE OF YOUR BID ALONG WITH ALL TERMS AND CONDITIONS THEREIN AND SIGNIFIES THE OFFERER'S KNOWLEDGE AND ACCEPTANCE OF ALL TERMS AND CONDITIONS SET FORTH WITHIN THE INVITATION FOR BID.

______ BUYER: AMY STODDARD CONTRACT/BID NO: SP-06-0013R ______ **DIGITAL COPIER RENTALS DESCRIPTION:** OCTOBER 01, 2008 THROUGH SEPTEMBER 30, 2009 CONTRACT PERIOD: WITH AN OPTION TO RENEW ON A YEAR TO YEAR BASIS OR A PORTION THEREOF FOR UP TO THREE (3) ADDITIONAL YEARS ______ DELIVERY REQUIREMENTS: 15 DAYS ARO, FOB DESTINATION ______ PRICES ARE F.O.B. DESTINATION, INSIDE DELIVERY, UNLESS OTHERWISE SPECIFIED. INVOICE TO: PER AGENCY PURCHASE ORDER **DELIVER TO:** PER AGENCY PURCHASE ______ CONTRACT AWARD TO: Business World, Inc. Rich Spooner COMPANY: CONTACT: ADDRESS: 920 South Spring Street PHONE #: 501-374-7000 Little Rock, AR 72203 501-374-0198 FAX #: VENDOR #: 100050054 EMAIL: rich.sponer@businessworld-usa.com FEDERAL I.D. 71-0530406

STATE OF ARKANSAS OFFICE OF STATE PROCUREMENT

BY: DATE: October 1, 2008

Last Updated 09/29/2008

MINORITY BUSINESS POLICY

Minority participation is encouraged in this and all other procurements by state agencies. "Minority" is defined by Arkansas Code Annotated § 1-2-503 as "black or African American, Hispanic American, American Indian or Native American, Asian, and Pacific Islander". The Division of Minority Business Enterprise of the Department of Economic Development conducts a certification process for minority businesses. Bidders unable to include minority-owned business as subcontractors "may explain the circumstances preventing minority inclusion".

TECHNOLOGY ACCESS

Please reference Arkansas statute 25.26.201 et seq. The Vendor expressly acknowledges that state funds may not be expended in connection with the purchase of information technology unless that system meets certain statutory requirements, in accordance with the State of Arkansas technology policy standards, relating to accessibility by persons with visual impairments. Accordingly, the Vendor represents and warrants to State of Arkansas that the technology provided to State of Arkansas for purchase is capable either by virtue of features included within the technology or because it is readily adaptable by use with other technology of:

- *Providing equivalent access for effective use by both visual and non-visual means;
- *Presenting information, including prompts used for interactive communications, in formats intended for non-visual use; and
- *After being made accessible, it can be integrated into networks for obtaining, retrieving, and disseminating information used by individuals who are not blind or visually impaired.

For purposes of this paragraph, the phrase "equivalent access" means a substantially similar ability to communicate with or make use of the technology, either directly by features incorporated within the technology or by other reasonable means such as Assistive devices or services which would constitute reasonable accommodations under the American with Disabilities Act or similar state of federal laws. Examples of methods by which equivalent access may be provided include, but are not limited to, keyboard alternatives to mouse commands and other means of navigating graphical displays, and customizable display appearance.

ALTERATION OF ORIGINAL IFB DOCUMENTS

The original written or electronic language of the IFB shall not be changed or altered except by approved written addendum issued by the Office of State Procurement. If Vendors/Contractors submittal is discovered to contain alterations/changes to the original written or electronic documents, the Vendors response shall be declared as "non-responsible" and the response shall not be considered.

REQUIREMENT OF AMENDMENT

THIS IFB MAY BE MODIFIED ONLY BY AMENDMENTS WRITTEN AND AUTHORIZED BY THE OFFICE OF STATE PROCUREMENT.

ANTICIPATION OF AWARD

After complete evaluation of the bid, the anticipated award will be posted on the Office of State Procurement website (www.arkansas.gov/dfa/purchasing/) and/or the legal section of a newspaper of statewide circulation. The purpose of the posting is to establish a specific time in which vendors and agencies are aware of the anticipated award. The bid results will be posted for a period of fourteen (14) days prior to the issuance of any award. Vendors and agencies are cautioned that these are preliminary results only, and no official award will be issued prior to the end of the fourteen (14) day posting period. Accordingly, any reliance on these preliminary results is at the agency's/vendor's own risk.

DELIVERY NOTICE

We strongly recommend that you not send bid documents by priority or certified United State Postal Service (USPS) mail. The Office of State Procurement can not be responsible for delivery by the USPS. The Post Office does NOT deliver mail directly to our offices. Only UPS, FedEX, DHL or similar delivery service will deliver to our offices if the street address is used. They will not deliver to a PO Box. We regret any inconvenience this may cause.

1.1 INTRODUCTION

Manufacturers, Dealers and Resellers are invited to prepare and submit bids for Digital Copier equipment, consumables, software and maintenance/service. The purpose of this contract is to streamline and improve the renting process for state agencies, institutes of higher education, K12 schools and offices, and local procurement entities. This will be a mandatory contract for State Agencies and Institutes of Higher Education.

Under no circumstances will re-manufactured, refurbished, recycled, second-hand, previously owned, used or analog equipment be accepted.

1.2 TYPE OF CONTRACT & RENEWALS

A. Master Contract

- 1. Master contract will be for rentals with full maintenance/service coverage and supplies (excluding paper & staples).
- 2. Bid prices must be firm for the term of the contract and any extensions thereof. Monthly billing for Maintenance/service will be paid in arrears.
- 3. All supplies/consumables, excluding paper and staples, but including drums and print heads for the equipment rented must be provided during the term of the contract and any extensions thereof.
- 4. The master contract will be for one (1) year term contract from date of award with an option to renew six (6) additional times in one (1) year increments or a portion thereof.

B. Agency Contracts

- 1. Individual agency contracts for machines ordered from this contract will run for three (3) year from date of acceptance by the agency with **NO** extensions or options to renew.
- 2. Ordering agency will issue a purchase order for the item desired and show delivery location with the name and phone number of the contact person at that location. *Vendor will not deliver a machine ordered from this contract outside the counties for which that machine was awarded*.
- 3. Agency requests delivery within 15 working days after receipt of order. If this delivery schedule cannot be met, bidder must state number of days required to place commodity in the ordering agency's designated location. Failure to state delivery time obligates bidder to complete delivery by agency's requested date. Extended delivery dates may be considered when in the best interest of the state. Delivery dates must be indicated on the Official Bid Price Sheets where indicated.

1.3 CONTRACT GUIDELINES

- A. The State of Arkansas may not contract with another party:
- 1. To indemnify and defend that party for any liability and damages. However, the State Procurement Official may agree to hold the other party harmless from any loss or claim resulting directly from and attributable to the State's use or possession of equipment or software and reimburse that party for the loss caused solely by the State's use or possession (this is the only form of indemnification to which the State Procurement Official can agree).
- 2. Upon default, to pay all sums to become due under a contract.
- 3. To pay damages, legal expenses or other costs and expenses of any party.
- 4. To continue a contract once the maintenance/service has been canceled.
- 5. To conduct litigation in a place other than Pulaski County, Arkansas.
- 6. To agree to any provision of a contract that violates the laws or constitution of the State of Arkansas.
- B. The State of Arkansas may contract with another party:
 - 1. To accept the risk of loss of the equipment or software and pay for any destruction, loss or damage of the equipment or software while the State has such risk, when the extent of liability for such risk is based upon the purchase price of the equipment or software at the time of any loss and the contract has required the State to carry insurance for such risk.
 - 2. In the event funds are not appropriated for the equipment or software described in this agreement or there are no funded appropriations from which payment can be made, the State Procurement Official may, upon thirty days written notice to the vendor or lessor, cancel the agreement for that equipment or software.

1.4 IFB RESPONSE

- A. Submitting A Respond
 - 1. Vendors must submit one (1) signed original bid on or before the date specified on page one of this IFB.
 - 2. Vendor must also submit one (1) electronic version preferably in Microsoft EXCEL file format on CD or diskette.

- 3. Any statement in this document, which contains the word "must", "will" or "shall" means that compliance with the intent of the statement is mandatory, and failure by the bidder to satisfy that intent will cause the bid to be rejected.
- 4. For a bid to be considered, an official authorized to bind the vendor to a resultant contract must have signed the original bid submitted.
- 5. Bidders may not refer to a bidder attached price list in lieu of the provided pricing sheets or copies thereof.
- 6. All official documents and correspondence shall be included as part of the resultant contract.
- B. Submitting Reference and Technical Material
 - 1. References to handbooks or other technical materials as part of a response must not constitute the entire response and must identify the specific page and paragraph being referenced.
 - 2. Bidders must submit one (1) copy of technical and descriptive literature. Information submitted shall be sufficiently detailed to substantiate that product offered meets or exceeds specifications. Failure to comply may result in bid rejection.

1.5 OTHER GOVERNMENTAL ENTITIES

Arkansas Procurement Law provides that local public procurement units (counties, municipalities, school districts, certain not-for-profit corporations, etc.) may participate in state procurement contracts. The contractor(s) therefore agree(s) to sell to Cooperative Procurement Program participants at the option of the program participants. Unless otherwise stated, all standard and special terms and conditions listed within the Invitation for Bid (IFB) must be equally applied to such participants. Cooperative Procurement Participants will handle their own payments and renewals.

1.6 CANCELLATION

In the event the State no longer needs the maintenance/service or commodity specified in the contract or purchase order due to program changes, changes in laws, rules, or regulations, relocation of offices, or lack of appropriated funding, the State may cancel the contract or purchase order by giving the contractor written notice of such cancellation 30 days prior to the date of cancellation.

1.7 AWARD AND ADMINISTRATION

A. Award

- 1. Contract award will be a multiple award.
- 2. Award will be on a county by county basis for all 75 counties.
- 3. Up to five (5) different manufacturer brands may be awarded for each county.
- 4. Manufacturers and/or Individual Dealers will not be awarded more than one (1) brand per county.
- 5. Award will be based on the maintenance/service cost per copy for the maximum volume per month (as identified on the Official Price Bid Sheet).
- 6. Hybrid machines will be evaluated on Black & White cost per copies. Graphic Color machines will be evaluated on color cost per copies.

B. Administration

- 1. The Director of the Office of State Procurement will be responsible for the award and administration of the contract.
- 2. Bidders may only bid those counties for which they can reasonably provide maintenance/service and response as required in this solicitation.
- 3. Supplies, excluding paper and staples, for the copiers bid must be provided for the term of the contract by the awarded bidder.
- 4. The State shall be relieved from risk or damage during the period of transportation, installation, and networking
- 5. In the event of bidder default the State will not be liable for any removal charges.

1.8 CONTRACT SUBSTITUTION APPROVAL

- A. Substitutions may be temporary in nature and affect only one or two placements or may be for the duration of the contract and affect all machines ordered after the effective date.
- B. Substitutions must meet the minimum specifications listed in the IFB for the appropriate speed range.
- C. Analog machines, re-manufactured, refurbished, recycled, second-hand, previously owned, used or analog equipment will not be approved as substitutions.
- D. All substitutions for awarded contract items must be submitted in writing by the bidder to, and approved by, the Office of State Procurement prior to delivery. OSP will issue a response within 10 working days. Substitution request may be made online at a site to be identified at a later date.
- E. Ordering agencies must have an opportunity to accept/reject the substitution of any machine listed on their original purchase order prior to delivery. Should the agency find the substituted equipment unacceptable, they have the right to cancel the original purchase order.

1.9 UNUSABLE COPIES FACTOR

- A. Copier equipment periodically experiences paper jams and malfunctions which cause unacceptable copy quality. These factors are not in the control of the machine operator, but are a noticeable expense.
- B. Copies made that are unacceptable and turned over to the maintenance/service technician, shall be deducted from the machine's monthly copy count for payment.
- C. The number of such unacceptable copies shall be noted on the technician's maintenance/service report for each maintenance/service call.
- D. Also, all copies produced in the course of maintenance/service and/or repair of a machine shall be considered as unusable copies and shall NOT be billed to the Agency.
- E. The number of such test copies shall also be noted on the maintenance/service report for each maintenance/service call.
- F. The monthly invoice must reflect the credit for the waste copies run during the month billed.

1.10 MANDATORY USE OF BID FORM

Due to the necessity of tabulation of this bid in the computer, the use of this bid form or copies thereof is mandatory for pricing pages. Use of any other pricing entry method or offer sheets may result in rejection of items so offered.

1.11 DEFINITIONS

- **A.** Accessories: Any and all components other than those identified in the standard configuration that works with or attaches to the copier. Accessories to include, but are not limited to, paper trays, duplex units, finishing units, scanners, and such. Accessories will be optional for the agency to purchase.
- **B.** Advanced Installation: Includes any networking necessary to install the copier on the customers' current network (done only at installation, for any other maintenance/service see Networking & Troubleshooting).
- C. Black & White Copiers: A machine that runs only black and white copies and has no capability of running any type of color copy.
- D. Color Machines: Copiers that have the capability of producing graphic quality images.
- **E. Cooperative Purchasing Program**: Governmental & educational entities authorized to purchase from State awarded contracts.
- **F. Down Time**: The amount of time, measured in working hours, that the machine is unable to function and meet the agency's needs.
- G. Features: Capabilities that the copier may have whether by design, accessory or additional software.
- **H. Hybrid:** A machine that runs primarily black and white copies but has the capability of running business quality color copies (color enabled).
- *I. Maintenance/service:* includes all cost per copies, consumables (other than paper & staples) and maintenance/service of the machine due to normal use.
- J. Monthly Fixed Rate: The established and firm rate that the agency will pay each month as rent.
- **K. Multifunctional units**: Copiers that can perform multiple operations such as copying, printing, faxing, scanning, and so forth.
- **L. Networking & Troubleshooting:** Includes any engineer necessary adjustments to improve the performance of the copier, re-install a copier after an enterprise update or change or networking a machine that has been previously installed.
- **M.** Response Time: The amount of time (measured in working hours) it takes the vendor to arrive at the agency's copier to begin repairs, after receiving the first phone call from the agency.
- N. Support: includes Networking & Troubleshooting and Advanced Installation.
- O. Working Hours: Monday through Friday, 8 am 4:30 pm, excluding State Holidays and weekends.
- **P. 500 Sheet Capacity:** The State will accept 2 each 250 sheet drawers and an automatic drawer switching feature as equal. Optional features must be listed on bid form.
- **Q. 2000** *Sheet Capacity:* The State will accept as equal 4 each 500 sheet drawers; or 2 each 500 sheet plus 1 each 1000 sheet drawer; or 2 each 1000 sheet drawers. Automatic drawer switching feature must be included. Optional features must be listed on bid form.
- **R. Key Operator:** Agency contact person trained to handle day-to-day operations of the copier. This person also keeps a log (history) of contacts with vendor.

2.1 PRICE & COMMITMENT

- 1. Bidders providing equipment through this solicitation will not be allowed to charge interest.
- 2. Bid discounts/prices must include delivery (F.O.B.), set up of equipment in user location, instruction in operation, technical assistance, all consumables (except paper & staples) and operation manuals.
- 3. Agencies will not be required to purchase any component, accessory, or feature of the copier for any reason. (This does not apply to software licensing requirements.)
- 4. Any promotion offered in conjunction to this contract will be specifically limited to the models that are listed on the Official Bid Price Sheet and included in the contract award.
- 5. OSP will have final approval as to which items proposed will be included in the contract award.

2.2 Overage Cost

- 1. Overage charges, for black and white copies made beyond the Monthly Maximum Volume, will be billed at 75% of Maintenance/Service cost per copy.
- 2. Overage charges will not apply to Color Copies made.
- 3. Payment schedule of overage charges may be negotiated between the providing vendor and the agency.

2.3 Accessories

- 1. Accessories may be added to the copier order after the initial placement.
- 2. The cost of the accessories will be added to the monthly rental fee.
- 3. There will not be a separate rental agreement for accessories.
- 3. Accessory cost will figured in the same method as the original equipment and pro-rated according to the remaining term of the rental.

2.4 Explaination of Official Price Sheet

A. Identification Information

Speed - Page per Minute

1. Unless otherwise stated, Speed applies to the production of black & white copies only.

Monthly Maximum Volume - maximum volume per month for each speed range.

1. The stated monthly maximum volume must be included in each category when bidding Maintenance/Service Cost Per Copy.

Manufacturer Brand

- 1. Bidders must identify the manufacturer brand being bid for each category.
- 2. Bidders may bid more than one manufacturer brand per category and/or county; however bidders will not be awarded more than one brand per county.

Model Name & Number

- 1. Bidder may bid only one (1) model for each category/speed range.
- 2. The model number must be identified in the appropriate place on the price sheet.
- 3. Failing to indicate the model name/number may cause that category in the bid to be rejected.
- 4. Bidder is responsible for clearly identifying all required information on the price sheets.

Counties to be covered at this price

- 1. Bidder must indicate on the Official Bid Price Sheet, which counties are being bid.
- 2. Bidders may make additional copies of the price sheets if needed.
- 3. A current and accurate county list is provided with the bid.
- 4. Bid sheets that do not have the counties clearly identified may be rejected.
- 5. OSP will make NO assumptions as to which counties the bidder is anticipating to cover.
- 6. To indicate that ALL counties are being covered, the bidder should enter "ALL COUNTIES" in the appropriate place on **each** price sheet.

B. Hardware Requirements & Maintenance/Service Cost

Component Identification

- 1. Bidder must identify the components required to insure the model being bid meets the minmum specifications.
- 2. Component Identification can be by part number, component number, item name, item description.

3. Bidder may supply additional descriptive material for the model & components being bid by attaching said material to the back of appropriate the Bid Price Sheet for which the material applies.

Maintenance/Service Cost

- 1. All copiers listed must meet or exceed the minimum specifications as outlined in this solicitation.
- 2. Copier cost must include the basic model & any additional equipment or accessory needed in order for the unit to meet the minimum specifications as outlined in this solicitation.
- 3. All copiers proposed in response to this solicitation must be manufacture original equipment, in current production, and the latest technology.
- 4. Bid price must include:

Copier Cost

Accessories required to meet the minimum specs

Supplies

Set up in user location

Freight & Delivery

Instruction in operation

Technical Assistance

Operation Manuals

Surge Protector

Removal Charges

5. Prices bid must be based on Cost Per Copy basis

C. Support Cost

- 1. Support does not include maintenance/service cost
- 2. Support cost must be billed in arrears at the time the support was performed.
- 3. Agencies will pay the cost of support in full either by issuing a separate Purchase Order for the Support or include it in the current month's payment.
- 4. Support must be bid, but will be optional for agencies to purchase and will not be used in the costing evaluation.

Advanced Installation

1. Advanced Networking must be bid on a flat fee.

Networking & Troubleshooting

1. Networking & Troubleshooting cost must be bid on a per hour rate.

D. Accessories & Additional Features Cost

- 1. Bidder must identify the components available for each model bid.
- 2. Accessories not listed on the Bid Price Sheet will not be included and can not be added at a later date.
- 3. Bidder may supply additional descriptive material for the model & components being bid by attaching said material to the back of the appropriate Bid Price Sheet for which the technical material applies.
- 4. Additional lines may be added to each price sheet to allow for more accessory listings.

Component Description & Component Capabilities

- 1. Should be clear, percise, and convey an accurate description of the equipment.
- 2. Should be kept as short as possible and should not include confusing industry jargon.

Component Identification

- 1. Bidder must identify the components required to insure the model being bid meets the minmum specifications.
- 2. Component Identification can be by part number, component number, item name, item description.
- 3. Bidder may supply additional descriptive material for the model & components being bid by attaching said material to the back of appropriate the Bid Price Sheet for which the material applies.

Component Cost

- 1. Prices bid must be based on Cost Per Copy basis using a 36 month timeline.
- 2. Accessories added after the initial installation will follow the requirements as outlined in Paragraph 2.3 Accessories of this Section.

3.1 QUALIFICATIONS

- A. Bidder must be a manufacturer or a manufacturer certified dealer of the equipment bid, and must have certified maintenance/service personnel for the equipment bid.
- B. Dealers/Resellers responding to this solicitation must be certified by the manufacturer for both the sale and maintenance/service of the equipment being bid. Dealer must provide a copy of their manufacturer certification and a current letter of certification from the manufacturer verifying their level of certification and, if applicable, identifying their authorized sales territory. Failure to comply with this request may result in bid rejection. Any certification document or letter with a date over one (1) year old, is not acceptable.
- C. Bidder must submit copy of the manufacturer certification for all certified engineers/ technicians.
- D. Certificate should include the engineer's name, level of certification, date of certification, and date of certification expiration.
- E. Failure to submit a letter of certification from the manufacturer will be grounds for rejection of the bid.
- F.The Dealer/Reseller must be the prime contractor for any resulting contract. The Dealer/Reseller will be required to assume all responsibility for the contract and the sole point of contact with regard to all sales, payment and maintenance/service of equipment.
- G. Equipment maintenance/service shall be performed by the Dealer/Reseller during the term of the contract and any extension thereof.
- H. Copiers must accept recycled copier paper from the state contract. All adjustments, cost etc. necessary for this requirement will be borne by the vendor.
- I. Dealer must include mileage as part of this agreement. The state will not pay mileage costs on service calls.
- J. Agencies will not be required to sign any additional terms or conditions when utilizing this contract. Agencies may only sign statement of work documents pertaining to the number of copies anticipated.
- K. The Office of State Procurement will not sign any additional documents that include terms or conditions other than those outlined in this solicitation.
- L. The Dealer will hold title to all equipment and accessories provided under this contract.
- M. Awarded dealers will be required to report on rentals made by item number, brand and model, agency, county, and number of machines. All Cooperative Purchasing Program participation must be listed. This report must be sent to Amy Stoddard, via email, no later then the 15th of each month.
- N. All supplies and consumables, *excluding paper and staples* but including drums, print heads and/or ink, for the copiers, must be provided for the term of the contract.
- O. The vendor must supply a surge suppressor for equipment at no extra cost.
- P. Maintenance/Service of equipment must be provided by successful bidder during contract term.
- Q. Failure to comply with the above requests for information may result in bid rejection.
- R. The vendor will pay all property tax on the equipment.
- S. Relocation of equipment must be made by the Dealer, except for relocations which the dealer and the agency have agreed, prior to the move, that the move does not require trained moving technical personnel. Equipment will be transferred without cessation of the rental charges during the period of transfer.

3.2 MANUFACTURER BIDS

- A. In the event that maintenance/service will be provided by a designated dealer, the manufacturer must supply a letter from the dealer stating dealer assumes all responsibility for the equipment specified in this IFB.
- B. Designated dealers must have certified maintenance/service technicians for the brand bid.
- C. Manufacturer must submit proof of authorization and certification of designated dealers' maintenance/service technicians.
- D. In the event a designated dealer fails to fulfill any contractual obligations, the manufacturer will either assume or provide for such maintenance/service at no additional cost or inconvenience to the using agency.
- E. Failure to comply with the above requests for information may result in bid rejection.

3.3 THIRD PARTY FINANCING & ASSIGNMENT

- A. Assignment will **not** be permitted without prior written consent from the Director of State Procurement.
- B. All payments for maintenance/service, accessories, features and support offered under this contract must go directly to the Dealer/Reseller, and not to any third party financing entity.
- C. All invoices for maintenance/service, accessories, features and support offered under this contract will come directly from the Dealer/Reseller, and not from any third party financing entity.

3.4 PERFORMANCE SECURITY

In order to assure full performance of all obligations imposed on a vendor by contracting with the State, the selected vendor will be required to provide a performance security in an amount of at least twenty-five thousand dollars (\$25,000) submitted by the vendor within 10 working days from date of receipt of the States written notification of its intent to award a bid. The form of security required shall be a performance bond such as is usually and customarily written and issued by surety companies licensed and authorized to do business in Arkansas or a cashier's/certified check. An irrevocable letter of credit from an Arkansas bank is also acceptable. The State Procurement Official shall award the contract upon acceptance of the performance security.

If a vendor fails to deliver the required performance security, the bid shall be rejected and the contract shall be awarded to the provider of the next ranked bid. In the event of a breach of contract, either through quality problems, late delivery, substitutions, non-performance, or other areas within the control of the vendor, the State Procurement Official will notify the vendor in writing of the default and may assess reasonable charges against the vendor's performance security. If, after notification of default, the vendor fails to remedy the State's damages within ten (10) working days, the State Procurement Official may initiate procedures for collection against the vendor's performance security.

In order to achieve the greatest economy for the State, the State Procurement Official may choose the next highest ranked vendor, re-advertise for bids, negotiate a purchase, or complete any other action consistent with the purchasing laws. The performance security will be released at the end of the contract period

4.1 MAINTENANCE/SERVICE REQUIREMENTS

- A. Telephone response times are not to exceed two (2) working hours after notification.
- B. On site response times are not to exceed six (6) working hours after notification, if problem resolution is not successful via telephone support.
- D. For the agency's records, maintenance/service technician must leave a written explanation of what was done to the machine, what parts were replaced and when the maintenance/service took place.
- E. In the event machine is removed from user location for repair, bidder will supply similar machine of equal quality and capability within 2 (two) working days.

4.2 ONGOING PERFORMANCE REQUIREMENTS

- A. It is requirements of this solicitation to have all equipment maintain a minimum of ninety-six percent (96%) up time.
- B. The vendor must take the necessary action to increase the up time to at least ninety-six percent (96%) in the five (5) business days subsequent to written notification.
- C. The vendor will receive formal writtn notication:
 - 1.In the event a ninety-six percent (96%) up time is not maintained, due to equipment failure for any consecutive two (2) day period,
 - 2. Any user originates five (5) maintenance/service calls within any 30-calendar days, or
 - 3. Should any machine or components reflect a cumulative downtime (defined as all time during which the copy machine including all components and options is not 96% operational at full capacity) of 16 working hours within any 30 day period
- D. In the event the equipment does not meet the required 96% up time in any 2-day period, excluding normally scheduled preventive maintenance/service, vendor must take one or more of the following actions:
 - 1. Provide an on-site technician for analysis and correction of the problem;
 - 2. Provide back-up equipment;
- E. If the equipment fails to meet the requirements within two (2) weeks of the installation date or within any sixty 60 day timeframe, the agency may:
 - 1. Require replacement equipment;
 - 2. Terminate the agreement in its entirety.

	Black & White Machines		
Mandan Nama	DIJONICOS WODI D		
Vendor Name:	BUSINESS WORLD	A A CIC VENIII	1400050054
Speed:	10-14 Pages per Minute	AASIS VEN#	100050054
Monthly Maximum Volume:	2,000	AASIS MAT#	10119110
Manufacturer Brand:		Model #	
Counties to be covered at thi	s price:		
Estimated Delivery timeline a	fter receipt of order:		Days
ŀ	lardware Requirements & Maintenance/Ser	vice Cont	
Type Features Originals Produces Cories Resolution	Required Capabilities- Minimum Specifications Desktop with Enclosed Base/Stand; Single paper source (250 sheets minimum) plus a Bypass tray Manual Personent Feed Photogode Quotity Selection 1-99 (minimum) 8	Ide ication	ontenance vice ck & White lost (CPC) \$0.0000(0) Over 6 \$0.000
Reduction rgeme t Memory	Required 3		
	Support Cost		
Advanced stalla.		Flat Fee	\$0.00
Networking & Troub oting		Per Hour	\$0.00
	Accessories & Additional Features Co	ost	
Composent Description	Component Capabilities	Component Identification	Cost (CPC)

	Black & White Machines		
Vendor Name:	BUSINESS WORLD		
Speed:	15-19 Pages per Minute	AASIS VEN#	100050054
Monthly Maximum Volume:	4,000		10119111
Manufacturer Brand:	1,000	Model #	10110111
Counties to be covered at this	s price:		
Estimated Delivery timeline a	ofter receipt of order:	T	Days
Listinated Denvery timeline a	inter receipt or order.		
ŀ	Hardware Requirements & Maintenance/Serv	vice C	
Unit Requirements	Required Capabilities- Minimum Specifications	Component Ide ication	Itenance/vice
Туре	Desktop with Enclosed Base/Stand; scaler		(CPC)
Features	Single paper source (250 sheets minir		\$0.00000
Originals Produces Cories Resolution Reduction Memory	plus Bypass tray ADF Photo Jode Qui Ity Select 1-99 (minimum) To 1/2" X 14 5		Over 16 \$0.000
	2 margard 2 mad		
	Support Cost		
Advanced stalla.		Flat Fee	\$0.00
Networking & Troub oting		Per Hour	\$0.00
	Accessories & Additional Features Co		
			T
Com Hent Description	Component Capabilities	Component Identification	Cost (CPC)

Black & White Machines			
	Black & Willte Macililes		
Vendor Name:	BUSINESS WORLD	<u> </u>	
Speed:	20 - 24 Pages per Minute	AASIS VEN#	100050054
Monthly Maximum Volume:	7,500		10119112
Manufacturer Brand:	Ricoh	Model #	MP 2550
Manufacturer Brand.	TROOM	INIOGEI #	WII 2000
Counties to be covered at this	price:		
	nway, Dallas, Faulkner, Garland, Grant, Hot Springs, Jef	ferson, Lincoln,	Lonoke,
Monroe, Perry, Pope, Prairie, P			,
, , , , , , , , , , , , , , , , , , , ,			
Estimated Delivery timeline af	ter receipt of order:	15	Days
			, ., -
Н	ardware Requirements & Maintenance/Serv	ice Cost	
Unit Requirements	Required Capabilities- Minimum Specifications	Part #	Maintenance/Service
Type		414395	Black & White Cost
	Desktop with Enclosed Base/Stand; digital scanner	414520	(CPC)
Features	Two paper sources (500 sheets minimum)	standard	\$0.01953330
	plus Bypass tray	standard	733333333
	Automatic Document Feeder	414143	
	Auto 2:2 duplex productivities	standard	
	Photo Mode - Greyscale 256 levels	standard	
	Quantity Selector 1-99 (Minimum) up to 999	standard	
	Auto Paper Switching	standard	Overage (CPC)
	A uto Tray Switching	standard	\$0.01464998
	Book Copy: Booklet/Magazine Copy	standard	43.31.10.1000
	2-in-1 Combine Mode	standard	
	Job Programs	standard	
	10BS or Electronic sorting/Electronic/Rotate Sorting	standard	
Originals	To 11" X 17"	standard	
Produces Copies	5 1/2" X 8 1/2" to 11" X 17"	standard	
Resolution	400 X 400dpi	standard	
Reduction & Enlargement	Range approx. 50-200% Zoom w/presets	standard	
Memory	8 MB	standard	
e.iy	TO THE	otariaara	
	Support Cost		
Advanced Installation	- Gupport Gost	Flat Fee	\$0.00
Networking & Troubleshooting	†	Per Hour	\$125.00
Networking & Troubleshooting		I Ci i loui	ψ123.00
	Accessories & Additional Features Co	ot.	
Component Description	Component Capabilities	Part #	Cost (CPC)
Component Description			
PS490 Paper Tray Unit	(2) 500 Sheet Paper Drawers	413673	\$ 0.00397890 \$ 0.00444130
PS500 Large Capacity Tray SR820 500 Sheet Finisher	2,000 Sheet Large Capacity Tray	410958	
	Single Position Staple Sorter Finisher	414130 412730	\$ 0.00719700 \$ 0.00867770
SR790 1,000 Sheet Finisher	Multi-Position Staple Sorter Finisher		
Bridge Unit 3030** HDD Type 3030	Connect Finisher to the copier	414125	\$ 0.00171890 \$ 0.00128130
Fax Option Type 3030	Used for electronic file storage at the copier	413889	
. ,,	33.6 Kbps Fax Machine 2nd Fax Line	414403 414084	•
G3 I/F Unit Type 3030	Scan/Print Controller with Network Interface Card		•
Type 3030 S/P Kit		003295MIU	•
PostScript3 Unit Type 3030	Adobe PostScript3 - MAC environment	414120	•
IEEE802.11a/g Interface kit	Wireless Interface for networking	414008	\$ 0.00230340
DataOverwite Security Unit	Positimo hard drive aparintian (writes aver 2 times)	/120EE	\$ 0.00314200
Type 1	Realtime hard drive encription (writes over 2 times)	413955	\$ 0.00314200

Black & White Machines			
NA TANA			
Vendor Name:	BUSINESS WORLD	A A CIC VENI	400050054
Speed:	25 - 29 Pages per Minute		100050054 10119113
Monthly Maximum Volume:	10,000 Ricoh		MP2510
Manufacturer Brand:	RICOTI	Model #	WP2510
Counties to be sovered at this	prion		
Arkaneae Clark Claveland Cor	price: nway, Dallas, Faulkner, Garland, Grant, Hot Springs, Jeff	orcon Lincoln	Lonoko
Monroe, Perry, Pope, Prairie, P		erson, Lincoln,	LUTIONE,
Monioe, reny, rope, rraine, r	ulaski, Jailie, Wille		
Estimated Delivery timeline af	ter receipt of order:	15	Days
LStimated Delivery timeline at	ter receipt of order.	10	Days
н	ardware Requirements & Maintenance/Servi	ice Cost	
Unit Requirements	Required Capabilities- Minimum Specifications	Part #	Maintenance/Service
Type	Desktop with Enclosed Base/Stand; digital scanner	414520	Black & White Cost
l spe	Desktop with Enclosed base/Starid, digital scariner	414395	(CPC)
Features	Two paper sources (1,500 sheets minimum)	410958	\$0.01918690
- Cataloo	plus Bypass tray	Standard	ψο.στο τουσο
	Automatic Document Feeder	414143	Overage
	Auto 2:2 duplex, Duplex Productivity	Standard	\$0.01439018
	Photo Mode: Greyscale 256 levels	Standard	φο.στισσστο
	Quantity Selector 1-99 (Minimum) up to 999	Standard	
	Auto Paper Switching	Standard	
	Auto Tray Switching	Standard	
	Book Copy: Booklet/Magazine	Standard	
	2-in-1 Combine Mode	Standard	
	job programs	Standard	
	finisher 1000/20/1	412730	
Originals	To 11" X 17"	Standard	
Produces Copies	5 1/2" X 8 1/2" to 11" X 17"	Standard	
Resolution	400 X 400dpi	Standard	
Reduction & Enlargement	Range approx. 50-200% Zoom w/presets	Standard	
Memory	12 MB	Standard	
	Support Cost		
Advanced Installation		Flat Fee	\$0.00
Networking & Troubleshooting		Per Hour	\$125.00
	Accessories & Additional Features Co	st	
Component Description	Component Capabilities	Part #	Cost (CPC)
PB3030 Paper Tray Unit	(2) X 500 Sheet Paper Drawers	413673	\$ 0.00381030
SR3050 500 Sheet Finisher	Single Position Staple Sorter Finisher	414130	\$ 0.00305950
Bridge Unit 3020	Connect Finisher to the copier	414125	\$ 0.00154740
HDD Type 5000	Unsed for electronic file storage at the copier	413889	\$ 0.00181330
Fax Option Type 3350	33.6 Kbps Fax Machine	414403	\$ 0.00338260
G3 I/F Unit Type 3350	2nd Fax Line	414084	\$ 0.00257980
Type 3350 S/P Kit	Scan/Print Controller with Network Interface Card	003295MIU	\$ 0.00821740
PostScript3 Unit Type 3350	Adobe PostScript3 - Used mainly in MAC environment	414120	\$ 0.00251550
Data Overwrite Security Unit			
Type 1	Real time hard drive encryption (writes over 3 times)	413955	\$ 0.00271270

	Black & White Machines		
Vendor Name:	BUSINESS WORLD		
Speed:	30 - 34 Pages per Minute	AASIS VEN#	100050054
Monthly Maximum Volume:	20,000		10119114
Manufacturer Brand:	Ricoh	Model #	MP3350
Counties to be covered at this	s price:		
Arkansas, Clark, Cleveland, Co	nway, Dallas, Faulkner, Garland, Grant, Hot Springs, Jeff	erson, Lincoln,	Lonoke,
Monroe, Perry, Pope, Prairie, F		,	,
Estimated Delivery timeline a	fter receipt of order:	15	Days
	lardware Requirements & Maintenance/Serv	ico Cost	
	<u> </u>		Maintanana /Oamiaa
Unit Requirements	Required Capabilities- Minimum Specifications	Component	Maintenance/Service
T	Dealthan with Fundamed Deag (Otton de divital accompan	Identification	Black & White Cost
Type	Desktop with Enclosed Base/Stand; digital scanner	414520	(CPC)
Footures	Three paper courses (2 000 shoots min.)	414396	¢0.04740400
Features	Three paper sources (3,000 sheets min.)	410958	\$0.01719400
	plus Bypass tray Reversing Automatic Document Feeder	Standard 414143	Overage
			Overage \$0.01289550
	Auto 2:2 Duplex Productivity	Standard	\$0.01269550
	Photo Mode: Greyscale 256 Levels	Standard	
	Book Copy: Bookley/Magazine	Standard Standard	-
	10 Job Programs 2-in-1 Combine Mode	Standard	-
			-
	Auto Paper Switching	Standard Standard	
	Auto Tray Switching Quantity Selector 1-99 (min.) up to 999	Standard	-
	Finisher 1000/30/1		-
		412730	-
Originala	Copy Control/Elec. Auditron (10 accounts min.) To 11" X 17"	Standard	-
Originals	5 1/2" X 8 1/2" to 11" X 17"	Standard Standard	
Produces Copies Resolution		Standard	-
	600 X 600dpi	Standard	-
Reduction & Enlargement	Range approx. 50-200% zoom w/presets 16 MB	Standard	
Memory	I I I I I I I I I I I I I I I I I I I	Stanuaru	
	Support Cost		
Advanced Installation		Flat Fee	\$0.00
Networking & Troubleshooting		Per Hour	\$125.00
	Accessories & Additional Features Co	st	
Component Description	Component Capabilities	Part #	Cost (CPC)
Hard Disk Drive Type 5000	Removeable Copier Hard Drive	413889	\$ 0.00308890
Data Over Write Security Unit	Tromoveable Copiel Hard Drive	713003	ψ 0.00300090
Type 1	Real Time Hard Drive Encryption (writes over 3 times)	413955	\$ 0.00157090
Fax Option Type 3350	33.6 Kbps Fax Board	414403	\$ 0.00137090
G3 Interface Kit Type 3350	2nd Fax Line	414403	\$ 0.00314180
Type 3350 Scan/Print Kit	Scan/Print Controller with Network Interface Card	003295MIU	\$ 0.00164640
PostScript Unit Type 3350	Adope PostScript3-Used mainly in MAC environment	414120	\$ 0.00231390
i ostociibi otiii Tybe ssso	Anobe Lostocubio-osed mainly in MAC environment	T 14 12U	_ψ 0.00231390

Black & White Machines			
Vendor Name:	BUSINESS WORLD		
Speed:	35 - 39 Pages per Minute	AASIS VEN#	100050054
Monthly Maximum Volume:	30,000	AASIS MAT#	
Manufacturer Brand:	Ricoh	Model #	MP4000
manaraturer Brand.	THOUSE THE PROPERTY OF THE PRO	Iniouci #	
Counties to be covered at this	price:		
	nway, Dallas, Faulkner, Garland, Grant, Hot Springs	s, Jefferson, Lin	coln, Lonoke,
Monroe, Perry, Pope, Prairie, P		,	,
Estimated Delivery timeline af	ter receipt of order:	15	Days
	Hardware Requirements & Maintenance/Service		I
Unit Requirements	Required Capabilities- Minimum Specifications	Component	Maintenance/Service
-		Identification	Black & White Cost
Туре	Desktop with Enclosed Base/Stand; digital	414374	(CPC)
Footures	Scanner Three paper courses (2,000 cheets min.)	111121	\$0.04266260
Features	Three paper sources (3,000 sheets min.) plus Bypass tray	414134 Standard	\$0.01266260
	Reversing Automatic Document Feeder	Standard	Overage
	Auto 2:2 duplex productivity	Standard	Overage \$0.00949695
	Photo Mode	Standard	Ψ0.00949093
	Book Copy	Standard	
	10 Job Programs	Standard	
	2-in-1 Combine Mode	Standard	
	margin shift/Electronic/Rotate Sorting	Standard	
	covers/Cover Insertion	Standard	
	erase/Center/Border Erase	Standard	
	interrupt key	Standard	
	interrupt key	Standard	
	Auto Paper Switching	Standard	
	Auto Tray Switching	Standard	
	quantity selector 1-999 (min.)	Standard	
	finisher 1000/30/1	412730	
	copy control/elec. auditron (10 accounts min.)	Standard	
Originals	To 11" X 17"	Standard	
Produces Copies	5 1/2" X 8 1/2" to 11" X 17"	Standard	
Resolution	600 X 600dpi	Standard	
Reduction & Enlargement	Range approx. 25-400% zoom with presets	Standard	
Memory	16 MB	Standard	
	Support Cost	-	
Advanced Installation		Flat Fee	\$0.00
Networking & Troubleshooting		Per Hour	\$125.00
	Accessing Q Additional Footunes Cost		
Component Description	Accessories & Additional Features Cost	Part #	Coat (CDC)
Component Description	Component Capabilities	Part #	Cost (CPC)
Saddle-Stitch Booklet Finisher	SR3020 Booklet Finisher	413323	\$ 0.01026000
2 and 3 hole punch unit for the	CACOZO BOOMOCI IIIONO	710020	Ψ 0.01020000
SR3020 Finisher	2/3-Hole Punch Kit Type PU3260	412209	\$ 0.00176890
Removeable Copier Hard Drive	Type 5000 Removable Hard Drive	413889	\$ 0.00308890
Data Overwrite Security Unit	Real time hard drive encryption (writes over 3	1.0000	, 5.5555555
Type 1	times)	413955	\$ 0.00157090
Fax Option Type 5000	33.6 Kbps Fax Machine	414382	\$ 0.00514180
G3 Interface Kit Type 5000	2nd Fax Line	413891	\$ 0.00184640
Type 5000 Scan/Print Kit			
Bundle	Scan/Print Controller with Network Interface Card	003263MIU	\$ 0.00665650
	Adobe PostScript3- Used mainly in MAC		
PostScript Unit Type 5000	environment	413954	\$ 0.00231390

	Black & White Machines		
Vendor Name:	BUSINESS WORLD		
Speed:	40 - 49 Pages per Minute	AASIS VEN#	100050054
Monthly Maximum Volume:	40,000	AASIS MAT#	10119116
Manufacturer Brand:	Ricoh	Model #	MP4000
Counties to be covered at this	price:		
	nway, Dallas, Faulkner, Garland, Grant, Hot Springs, Jef	ferson, Lincoln,	Lonoke.
Monroe, Perry, Pope, Prairie, P	, , ,	1010011, 211100111,	201101101
		15	Dava
Estimated Delivery timeline at			Days
	ardware Requirements & Maintenance/Serv		
Unit Requirements	Required Capabilities- Minimum Specifications	Part #	Maintenance/Service
Туре	Desktop with Enclosed Base/Stand; digital scanner	414374	Black & White Cost
		414134	(CPC)
Features	Required Capabilities- Minimum Specifications		\$0.01137120
	Three paper sources (3,500 sheets min.)	414137	
	plus bypass tray		Overage
	RADF		\$0.00852840
	Auto 2:2 duplex		
	photo mode		
	book copy		
	job programs		
	2-in-1		
	margin shift		
	erase		
	interrupt key		
	APS		
	ATS		
	quantity selector 1-999 (min.)		
	finisher 1500/50/1	413325	
	copy control/elec. auditron (10 accounts min.)	413323	
Originals	To 11" X 17"		
-	5 1/2" X 8 1/2" to 11" X 17"		-
Produces Copies			-
Resolution	600 X 600dpi		-
Reduction & Enlargement	Range approx. 50-400% zoom with presets 32 MB		
Memory			
	Support Cost	_	
Advanced Installation		Flat Fee	\$0.00
Networking & Troubleshooting		Per Hour	\$125.00
	Accessories & Additional Features Co	st	
Component Description	Component Capabilities	Part #	Cost (CPC)
SR3020 Booklet Finisher	Saddle-Stich Booklet Finisher	413323	\$ 0.00501600
2/3-Hole Punch Kit Type 3260	2 and 3 hole punch unit for the SR 3260 Finisher	412209	\$ 0.00100950
Removable Hard Drive	Type 5000 Removable Hard Drive	413889	\$ 0.00145020
Data Overwrite Security Unit			
Type 1	Real Time hard drive encryption (writes over 3 times)	413955	\$ 0.00099300
Fax Option Type 5000	33.6 Kbps Fax Machine	414382	\$ 0.00127840
G3 Interface Kit Type 5000	2nd Fax Line	413891	\$ 0.00109520
Type 5000 Scan/Print Kit	Scan/Print Controller with Network Interface Card	003263MIU	\$ 0.00402200
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Committee of the control of the cont	0002001110	Ψ 0.00π02200
PostScript Unit Type 5000	Adobe PostScript-Used mainly in MAC envroonment	413954	\$ 0.00128190

BUSINESS WORLD		
	AASIS VEN#	100050054
v i	_	10119117
,		MP5000
INCOM	INIOGEI #	IWI 3000
price:		
	ferson, Lincoln,	Lonoke,
ulaski, Saline, White		
ter receipt of order:	15	Days
tor recorpt or crust.	1.0	Dayo
ardware Requirements & Maintenance/Serv	rice Cost	
Required Capabilities- Minimum Specifications	Part #	Maintenance/Service
	414375	Black & White Cost
<u> </u>	414134	\$0.00908940
Four paper sources (4,000 sht. min.)	414137	
	standard	
RADF	standard	Overage
	standard	\$0.00681705
·		, , , , , , , , , , , , , , , , , , , ,
1,7		
		-
		-
		-
		-
		-
		-
		_
		_
9 11		
32 MB	standard	
Support Cost		
	Flat Fee	\$0.00
		\$125.00
		,
Accessories & Additional Features Co	st	
Component Capabilities	Part #	Cost (CPC)
Saddle-Stitch Booklet Finisher	/13323	\$ 0.00511290
		\$ 0.00511290 \$ 0.00109620
2 and 3 Hole Functi Official SK3020 FINISHER	412209	ψ 0.00109620
Pool time hard drive anarymtian (writer aver 2 times)	442055	¢ 0.00400000
		\$ 0.00106230
Scan/Print Controller with Network Interface Card	003263MIU	\$ 0.00337940
	nway, Dallas, Faulkner, Garland, Grant, Hot Springs, Jefulaski, Saline, White ter receipt of order: Required Capabilities- Minimum Specifications Console; digital scanner Four paper sources (4,000 sht. min.) including bypass (50 sht. min.) tray RADF Auto 2:2 duplex photo mode book copy job programs 2-in-1 booklet mode margin shift covers erase interrupt key APS ATS quantity selector 1-999 (min.) finisher 2000/50/3 copy control/elec. auditron (10 accts min.) To 11" X 17" 5 1/2" X 8 1/2" to 11" X 17" 600 X 600dpi Range approx. 25-400% zoom with presets 32 MB Support Cost	Society

	Black & White Machines		
Vendor Name:	BUSINESS WORLD		
Speed:	60 + Pages per Minute	AASIS VEN#	100050054
Monthly Maximum Volume:	75,000	AASIS MAT#	
Manufacturer Brand:	Ricoh	Model #	Aficio 2060
manufacturer Brand.	110011	INIOGCI #	7 11010 2000
Counties to be covered at this			
	way, Dallas, Faulkner, Garland, Grant, Hot Springs, Jef	ferson, Lincoln,	Lonoke,
Monroe, Perry, Pope, Prairie, Pu	ulaski, Saline, White		
Estimated Delivery timeline aft	ear receipt of order:	15	Days
Estimated Denvery timeline art	ler receipt or order.	1 13	Days
Ha	ardware Requirements & Maintenance/Serv	rice Cost	
Unit Requirements	Required Capabilities- Minimum Specifications	Part #	Maintenance/Service
Туре	Console; digital scanner	411969	Black & White Cost
Features	Five paper sources (5,000 sht. min.)	411182	\$0.00818010
- Catares	including bypass (50 sht. min.) tray	standard	ψ0.00010010
	RADF	standard	Overage
	Auto 2:2 duplex	standard	\$0.00613508
	photo mode	standard	ψυ.υυυ 13300
	book copy	standard	
	1.0	standard	
	job programs 2-in-1		
		standard	
	booklet mode	standard	
	margin shift	standard	
	covers	standard	
	erase	standard	
	interrupt key	standard	
	APS	standard	
	ATS	standard	
	QUANTITY SELECTOR 1-999 (min.)	standard	
	finisher 2000/50/3	411178	
	copy control/elect. auditron (10 accts min.)	standard	
Originals	To 11" X 17"	standard	
Produces Copies	5 1/2" X 8 1/2" to 11" X 17"	standard	
Resolution	600 X 600dpi	standard	
Reduction & Enlargement	Range approx. 25-400% zoom with presets	standard	
Memory	32 MB	standard	
	Support Cost		
Advanced Installation		Flat Fee	\$0.0
Networking & Troubleshooting		Per Hour	\$125.0
	Acceptation O Additional Frateurs On		
	Accessories & Additional Features Co		0 ((0-0)
Component Description	Component Capabilities	Part #	Cost (CPC)
SR861 Saddle Stitch Finisher	Saddle-Stitch Booklet Finisher	411987	\$ 0.00300860
SR841 Finisher	100 Sheet Stapler Finisher 3,000/100/4	411873	\$ 0.00285650
		I	1
0/0 Hala Daniel 1/2 T	2 and 3 Hole Punch Unit for SR850 and	440705	Φ 000000==0
2/3-Hole Punch Kit Type 1045	SR861Finishers	410785	
2/3-Hole Punch Kit Type 1045 2/3-Hole Punch Kit Type 1075	SR861Finishers 2 and 3 Hole Punch Unit for SR841 Finisher	410785 411198	\$ 0.00099750 \$ 0.00099750
2/3-Hole Punch Kit Type 1075	SR861Finishers 2 and 3 Hole Punch Unit for SR841 Finisher Allows you to insert preprinted covers without passing	411198	\$ 0.00099750
2/3-Hole Punch Kit Type 1075 Cover Interposer Type 1075	SR861Finishers 2 and 3 Hole Punch Unit for SR841 Finisher Allows you to insert preprinted covers without passing through fuser	411198 411505	\$ 0.00099750 \$ 0.00105660
2/3-Hole Punch Kit Type 1075 Cover Interposer Type 1075 8 1/2"x14" Tray Type 1075	SR861Finishers 2 and 3 Hole Punch Unit for SR841 Finisher Allows you to insert preprinted covers without passing through fuser Converts the RT43 LCT to hold legal size paper	411198 411505 411187	\$ 0.00099750 \$ 0.00105660 \$ 0.00097100
2/3-Hole Punch Kit Type 1075 Cover Interposer Type 1075 8 1/2"x14" Tray Type 1075	SR861Finishers 2 and 3 Hole Punch Unit for SR841 Finisher Allows you to insert preprinted covers without passing through fuser Converts the RT43 LCT to hold legal size paper Holds the tabs straight in the drawer	411198 411505	\$ 0.00099750 \$ 0.00105660 \$ 0.00097100
2/3-Hole Punch Kit Type 1075 Cover Interposer Type 1075 8 1/2"x14" Tray Type 1075	SR861Finishers 2 and 3 Hole Punch Unit for SR841 Finisher Allows you to insert preprinted covers without passing through fuser Converts the RT43 LCT to hold legal size paper	411198 411505 411187	\$ 0.00099750 \$ 0.00105660 \$ 0.00097100
2/3-Hole Punch Kit Type 1045 2/3-Hole Punch Kit Type 1075 Cover Interposer Type 1075 8 1/2"x14" Tray Type 1075 Tab Sheet Holder Type 1075 A3/11"x17" Tray Unit Type 1075	SR861Finishers 2 and 3 Hole Punch Unit for SR841 Finisher Allows you to insert preprinted covers without passing through fuser Converts the RT43 LCT to hold legal size paper Holds the tabs straight in the drawer Converts the tandem paper tray to hold 1,000 sheets	411198 411505 411187	\$ 0.00099750 \$ 0.00105660 \$ 0.00097100

Black & White Machines				
Vendor Name:	BUSINESS WORLD		•	
Speed:	60 + Pages per Minute		100050054	
Monthly Maximum Volume:	75,000	AASIS MAT#		
Manufacturer Brand:	Ricoh	Model #	Aficio 2060	
Counties to be covered at this		araan Linaala	Lamaka	
	way, Dallas, Faulkner, Garland, Grant, Hot Springs, Jeff	erson, Lincoin,	Lonoke,	
Monroe, Perry, Pope, Prairie, Pu	Jiaski, Saline, White			
Estimated Delivery timeline aft	er receipt of order:	15	Days	
	Accessories & Additional Features Cos	st		
Component Description	Component Capabilities	Part #	Cost (CPC)	
Data Overwrite Security Option				
Type C	Real time hard drive encription (writes over 2 times)	411989	\$ 0.00088620	
GBC StreamPunch	Online Hole Punch Unit for the die sets listed below	001449MIU	\$ 0.00373140	
GBC Die Set 3 Hole (Ring				
Binder)	3 Hole Punch (Ring Binder)	001450MIU	\$ 0.00097660	
GBC Die Set 11 Hole (Velobind)	11 Hole Punch (Velobind)	001451MIU	\$ 0.00097660	
GBC Die Set 19 Hole (Cerlox)	19 Hole Punch (Cerlox)	001452MIU	\$ 0.00097660	
GBC Die Set 21 Hole (Twin	,			
Loop Wire 2:1)	21 Hole Punch (Twin Loop Wire 2:1)	001453MIU	\$ 0.00097660	
GBC Die Set 32 Hole (Twin	, ,			
Loop Wire 3:1)	32 Hole Punch (Twin Loop Wire 3:1)	001454MIU	\$ 0.00097660	
GBC Die Set 44 Hole (Color				
Coil)	44 Hole Punch (Color Coil)	001455MIU	\$ 0.00097660	
Scanner/Printer Kit Type 2075	Scan/Print Controller with Network Interface Card	002046MIU	\$ 0.00231960	
256 MB Memory Type D	256 MB Added Memory - required for Print/Scan Kit	001491MIU	\$ 0.00091130	
PostScript Unit Type 3 Type	, i			
2075	Adobe PostScript3 - Used mainly in MAC environment	411952	\$ 0.00142780	
IEEE1394 Interface Board Type	·			
В	Fire-wire Interface for networking	411264	\$ 0.00089900	
IEEE802.11b Interface Unit				
Type II	Wireless Interface for networking	402378	\$ 0.00089900	

411301

0.00070000

USB 2.0 Interface Board Type B USB 2.0 Interface for networking

Black & White Machines			
Vendor Name:	BUSINESS WORLD		
Speed:	80 + Pages per Minute	AASIS VEN#	100050054
Monthly Maximum Volume:	100.000	AASIS MAT#	
Manufacturer Brand:	Ricoh	Model #	MP9000
marraractaror Brana.		iniouoi ii	
Counties to be covered at this	price:		
Arkansas, Clark, Cleveland, Cor	nway, Dallas, Faulkner, Garland, Grant, Hot Springs, Jeff	erson, Lincoln,	Lonoke,
Monroe, Perry, Pope, Prairie, P	ulaski, Saline, White		
		_	
Estimated Delivery timeline af	ter receipt of order:	15	Days
Н	ardware Requirements & Maintenance/Servi	ice Cost	
Unit Requirements	Required Capabilities- Minimum Specifications	Part #	Maintenance/Service Cost (CPC)
Type	Console; digital scanner	412958	Maintenance/Service
Features	Five paper sources (5,000 sht. min.)	412968	Black & White Cost
	including bypass (50 sht. min.) tray	412974	\$0.00878450
	RADF	standard	
	Auto 2:2 duplex	standard	Overage
	photo mode	standard	\$0.00658838
	book copy	standard	
	job programs	standard	
	2-in-1	standard	
	booklet mode	standard	
	margin shift	standard	
	covers	standard	
	erase	standard	
	interrupt key	standard	
	APS	standard	
	ATS	standard	
	QUANTITY SELECTOR 1-999 (min.)	standard	
	finisher 2000/50/3	412981	
Originala	copy control/elect. auditron (10 accts min.) To 11" X 17"	standard	
Originals Produces Copies	5 1/2" X 8 1/2" to 11" X 17"	standard	
Resolution	600 X 600dpi	standard standard	
Reduction & Enlargement	Range approx. 25-400% zoom with presets	standard	
Memory	32 MB	standard	
iviernory	OZ INID	Stariuaru	
	Support Cost		
Advanced Installation		Flat Fee	\$0.00
Networking & Troubleshooting		Per Hour	\$125.00
	Accessories & Additional Features Cos	st	
Component Description	Component Capabilities	Part #	Cost (CPC)
2/3-Hole Punch Kit Type PU5000	2 and 3 Hole Punch Unit for SR5000	412986	\$ 0.00100000
BK5000 Finisher Saddle Stitch	Saddle-Stitch Booklet Finisher	412978	\$ 0.00250000
11X17 Tray Unit Type TK5000	Converts the tandem paper tray to hold 1,000 shees of 11X17 paper	412967	\$ 0.00060000
	Allows you to insert preprinted covers without passing		
Cover Interposter Type CL5000	through fuser	412976	\$ 0.00099240
LCIT RT5010 DLT/LCT	4,000-Sheet Large Capacity holds 13X18	412971	\$ 0.00159030
PostScript3 Unit Type 1350	Adobe PostScript	412916	\$ 0.00600000
MP1350	Removable Hard Drive 320GB	002851MIU	\$ 0.00116280
Canal Canadata Tura 2200	Connects two MP9000's together to run tandum at 180 ppm	412415	\$ 0.00107100
Copy Connector Type 3260 GBC StreamPunch III	Online Hole Punch Unit for the die set listed below	002633MIU	\$ 0.00319850

Black & White Machines				
Vendor Name:	BUSINESS WORLD			
Speed:	80 + Pages per Minute	AASIS VEN#	100050054	
Monthly Maximum Volume:	100,000	AASIS MAT#	10119119	
Manufacturer Brand:	Ricoh	Model #	MP9000	

Counties to be covered at this price:

Arkansas, Clark, Cleveland, Conway, Dallas, Faulkner, Garland, Grant, Hot Springs, Jefferson, Lincoln, Lonoke, Monroe, Perry, Pope, Prairie, Pulaski, Saline, White

Estimated Delivery timeline aft	er receipt of order:	15	Days	
GBC Die Set 3 Hole (Ring				
Binder)	3 Hole Punch (Ring Binder)	001450MIU	\$	0.00093240
GBC Die Set 11 Hole (Velobind)	11 Hole Punch (Velobind)	001451MIU	\$	0.00093240
GBC Die Set 19 Hole (Cerlox)	19 Hole Punch (Cerlox)	001542MIU	\$	0.00093240
GBC Die Set 21 Hole (Twin				
Loop Wire)	21 Hole Punch (Twin Loop Wire)	001453MIU	\$	0.00093240
GBC Die Set 32 Hole (Twin				
Loop Wire)	32 Hole Punch (Twin Loop Wire)	001454MIU	\$	0.00093240
GBC Die Set 44 Hole (Color				
Coil)	44 Hole Punch (Color Coil)	001455MIU	\$	0.00093240
BK5010 Bookletmaker	Online or Offline Production Booklet Maker	413101	\$	0.00354920
BF5010 Bood Folder	Square Back Booklet Folder	413104	\$	0.00238690
	Feeds Booklet Covers online or offline through			
CF5010 Cover Feeder	BK5010 Booklet Maker	413102	\$	0.00131880
	Trims the creap on a folded book for professional			
TR5010 Trimmer Unit	quality finishing	413103	\$	0.00226060
BK5010 Rail Unit	Must be purchased with BF5010 Booklet Maker	413105	\$	0.00084000
Printer/Scanner Kit Type 1350	Scan/Print Controller with Network Interface Card	002835MIU	\$	0.00223990

	Graphic Color Machines		
	DUONISCO WORLD		
Vendor Name:	BUSINESS WORLD	1	1,,,,,,,,,,
Speed:	10 - 14 Pages per Minute		100050054
Monthly Maximum Volume:	400 Color	AASIS MAT#	
Manufacturer Brand:	Ricoh	Model #	Aficio 3224C
Counties to be covered at this			
	way, Dallas, Faulkner, Garland, Grant, Hot Springs, Jeffe	rson, Lincoln, L	onoke,
Monroe, Perry, Pope, Prairie, Pu	laski, Saline, White		
			<u> </u>
Estimated Delivery timeline after	er receipt of order:	15	Days
Unit Requirements	rdware Requirements & Maintenance/Service Required Capabilities- Minimum Specifications	ce Cost Part #	Maintenance/Service
•	Desktop with Enclosed Base/Stand; digital scanner	rail#	Color Cost (CPC)
Type	Single paper source (250 sheets minimum)	 	\$0.52642500
Features	0 1 1		φυ.32042300
	plus a Bypass tray Manual Document Feed		Maintenance/Service
	Photo Mode		Black & White Cost
	- 11010 1110 010		
Originala	Quantity Selector 1-99 (minimum) 8 1/2" X 14"		(CPC) \$0.02000000
Originals Produces Copies	5 1/2" X 8 1/2" to 8 1/2" X 14"		φυ.υ2υυυυυ
Resolution			Color Overege
	400 X 400dpi		Color Overage \$0.39481875
Reduction & Enlargement	Not Required 4 MB		φυ.39461673
Memory	4 IVID		
	Support Cost		
Advanced Installation	Subbort Cost	Flat Fee	\$0.00
Networking & Troubleshooting		Per Hour	\$125.00
j.		•	
	Accessories & Additional Features Cos	t	
Component Description	Component Capabilities	Component	Cost (CPC)
·		Identification	, ,
PS510 2 Tray Paper Bank	(2) 500 Sheet Paper Bank	405368	\$ 0.06847850
PS520 Large Capacity Tray	2,000 Sheet Large Capacity Tray	405370	\$ 0.06652320
500 Sheet Finisher Kit	Single Position Staple Sorter Finisher	002338MIU	\$ 0.07595320
1000 Sheet Finisher Kit	1000/50/3 Multi-Position Staple Sorter Finisher	002337MIU	\$ 0.12362170
DataOverwriteSecurity System	Real time hard drive encription (writes over 2 times)	412152	\$ 0.03469000
Fax Option Type 3232	33.6 Kbps Fax option	412511	\$ 0.07056410
G3 Interface Unit Type 3232	2nd Fax Line	412260	\$ 0.04597270
IEEE802.11b Interface Unit Type			1.
II .	Wireless Interface for networking	402378	\$ 0.03315360
IEEE1394 Interface Board Type			
В	Fire-wire Interface for networking	411264	\$ 0.03315360
PostScript Unit Type 3232	Adobe PostScript3 - Used mainly in MAC environment	412254	\$ 0.06000000

	Graphic Color Machines		
Vendor Name:	BUSINESS WORLD		
Speed:	15 - 19 Pages per Minute	AASIS VEN#	100050054
Monthly Maximum Volume:	800 Color	AASIS MAT#	10119111
Manufacturer Brand:	Ricoh	Model #	Aficio 3224C
Arkansas Clark Cleveland Con	way, Dallas, Faulkner, Garland, Grant, Hot Springs, Jeff	erson Lincoln	Lonoke
Monroe, Perry, Pope, Prairie, P		0.00.11, 2.1.100.111,	
		1-	I_
Estimated Delivery timeline af	ter receipt of order:	15	Days
H	ardware Requirements & Maintenance/Serv	ice Cost	
Unit Requirements	Required Capabilities- Minimum Specifications	Part #	Maintenance/Service
Туре	Desktop with Enclosed Base/Stand; digital scanner	412506	Color Cost (CPC)
31 -		411467	
Features	Single paper source (250 sheets minimum)	standard	\$0.30321250
	plus Bypass tray	standard	,
	ADF	standard	Maintenance/Service
	Photo Mode	standard	Black & White Cost
	Quantity Selector 1-99 (minimum)	standard	(CPC)
Originals	To 8 1/2" X 14"	standard	\$0.02000000
Produces Copies	5 1/2" X 8 1/2" to 8 1/2" X 14"	standard	ψο.οΣοσσσσ
Resolution	400 X 400dpi	standard	Color Overage
Reduction & Enlargement	Range approx. 50-200% zoom w/presets	standard	\$0.22740938
Memory	6 MB	standard	Ψ0.227 40000
Memory	O IVID	Staridard	
	Support Cost		
Advanced Installation		Flat Fee	\$0.00
Networking & Troubleshooting		Per Hour	\$125.00
	Accessories & Additional Features Co	<u></u>	
Component Description		Part #	Cost (CPC)
	Component Capabilities (2) 500 Sheet Paper Bank	405368	1 /
PS510 2 Tray Paper Bank		405370	
PS520 Large Capacity Tray	2,000 Sheet Large Capacity Tray		\$ 0.03326160
500 Sheet Finisher Kit	Single Position Staple Sorter Finisher	002338MIU	\$ 0.04921660
1000 Sheet Finisher Kit	1000/50/3 Multi-Position Staple Sorter Finisher	002337MIU	\$ 0.05968580
	Real time hard drive encription (writes over 2 times)	412152	\$ 0.01634500
Fax Option Type 3232	33.6 Kbps Fax option	412511	\$ 0.03980830
G3 Interface Unit Type 3232	2nd Fax Line	412260	\$ 0.02756500
Note: Printer/Scanner Options	 Print/Scan comes standard on this model with 768 	MB of RAM	
IEEE802.11b Interface Unit Ty	Wireless Interface for networking	402378	\$ 0.01657680
IEEE1394 Interface Board Typ	Fire-wire Interface for networking	411264	\$ 0.01657680
PostScript Unit Type 3232	Adobe PostScript3 - Used mainly in MAC environment	412254	\$ 0.03000280

Graphic Color Machines			
War dan Nama	DUCINIESS WORLD	T	T
Vendor Name:	BUSINESS WORLD	A A OLO VENI	400050054
Speed:	20 - 24 Pages per Minute	AASIS VEN#	100050054
Monthly Maximum Volume:	1,500 Color	AASIS MAT#	10119112
Manufacturer Brand:	Ricoh	Model #	Aficio 3224C
Counties to be covered at this			
	nway, Dallas, Faulkner, Garland, Grant, Hot Springs, Jef	terson, Lincoln,	Lonoke,
Monroe, Perry, Pope, Prairie, P	ulaski, Saline, White		
Estimate I Balling and Constitution of	Assessment of soulon	4.5	D
Estimated Delivery timeline af	ter receipt of order:	15	Days
	ardware Requirements & Maintenance/Serv		Maintananaa/Camilaa
Unit Requirements	Required Capabilities- Minimum Specifications	Part #	Maintenance/Service
Туре	Dealston with England Book/Standy digital accounts	412506	Color Cost (CPC)
	Desktop with Enclosed Base/Stand; digital scanner	411467	#0.4000000
	Two paper sources (500 sheets minimum)	standard	\$0.18838000
	plus Bypass tray	standard	Maintana /O
	ADF	standard	Maintenance/Service
	Auto 2:2 duplex	standard	Black & White Cost
	Photo Mode	standard	(CPC)
	Quantity Selector 1-99 (Minimum)	standard	\$0.02000000
	APS	standard	
	ATS	standard	Color Overage
	Book Copy	standard	\$0.14128500
	2-in-1	standard	
	Job Programs	standard	
	10BS or Electronic sorting	standard	
Originals	To 11" X 17"	standard	
Produces Copies	5 1/2" X 8 1/2" to 11" X 17"	standard	
Resolution	400 X 400dpi	standard	
Reduction & Enlargement	Range approx. 50-200% Zoom w/presets	standard	
Memory	8 MB	standard	
	Support Cost		
Advanced Installation		Flat Fee	\$0.00
Networking & Troubleshooting		Per Hour	\$125.00
	Accessories & Additional Features Co	st	
Component Description	Component Capabilities	Part #	Cost (CPC)
PS510 2 Tray Paper Bank	(2) 500 Sheet Paper Bank	405368	\$ 0.00273800
PS520 Large Capacity Tray	2,000 Sheet Large Capacity Tray	405370	\$ 0.01820620
500 Sheet Finisher Kit	Single Position Staple Sorter Finisher	002338MIU	\$ 0.02811550
1000 Sheet Finisher Kit	1000/50/3 Multi-Position Staple Sorter Finisher	002337MIU	\$ 0.03369910
DataOverwriteSecurity System	Real time hard drive encription (writes over 2 times)	412152	\$ 0.00918400
Fax Option Type 3232	33.6 Kbps Fax option	412511	\$ 0.02228370
			·
G3 Interface Unit Type 3232	2nd Fax Line	412260	\$ 0.01516800
G3 Interface Unit Type 3232	2nd Fax Line	412260	\$ 0.01516800
			\$ 0.01516800
	s - Print/Scan comes standard on this model with 768		\$ 0.0093000000
Note: Printer/Scanner Options IEEE802.11b Interface Unit Ty	s - Print/Scan comes standard on this model with 768	BMB of RAM	

	Graphic Color Machines		
Vendor Name:	BUSINESS WORLD	1	T
	25 - 29 Pages per Minute	AASIS VEN#	100050054
Speed:	2.000 Color	AASIS MAT#	10119113
Monthly Maximum Volume: Manufacturer Brand:	Ricoh		Aficio 3228C
wanuracturer Brand:	IKICOII	Model #	AIICIO 3220C
Counties to be covered at this	e nrico:		
	nway, Dallas, Faulkner, Garland, Grant, Hot Springs, Je	fferson Lincoln	l onoke
Monroe, Perry, Pope, Prairie, F		ilcison, Emooni,	LOHOKO,
Meriree, Ferry, Fepe, Frame, F	diaditi, Califo, Willia		
Estimated Delivery timeline a	fter receipt of order:	15	Days
			12
1-	lardware Requirements & Maintenance/Serv	rice Cost	
Unit Requirements	Required Capabilities- Minimum Specifications	Part #	Maintenance/Service
Type	Desktop with Enclosed Base/Stand; digital scanner	002284MIU	Color Cost (CPC)
Features	Two paper sources (1,500 sheets minimum)	412132	\$0.21428000
	plus Bypass tray	standard	
	ADF	standard	Maintenance/Service
	Auto 2:2 duplex,	standard	Black & White Cost
	Photo Mode	standard	(CPC)
	Quantity Selector 1-99 (Minimum)	standard	\$0.02000000
	APS	standard	·
	ATS	standard	Color Overage
	book copy	standard	\$0.16071000
	2-in-1	standard	
	job programs	standard	
	finisher 1000/20/1	412139	
Originals	To 11" X 17"	standard	
Produces Copies	5 1/2" X 8 1/2" to 11" X 17"	standard	
Resolution	400 X 400dpi	standard	
Reduction & Enlargement	Range approx. 50-200% Zoom w/presets	standard	
Memory	12 MB	standard	
	Support Cost		
Advanced Installation		Flat Fee	\$0.00
Networking & Troubleshooting		Per Hour	\$125.00
	Accessories & Additional Features Co		T
Component Description	Component Capabilities	Part #	Cost (CPC)
PS590 Paper Bank	(2) 500 Sheet Paper Bank	412134	\$ 0.01604230
PS600 LCT	2,000 Sheet Large Capacity Tray	412136	\$ 0.01877970
SR950 Booklet Finisher	Saddle-Stitch Booklet Finisher	412143	\$ 0.04296440
Punch Kit Type 2238	2 and 3 hole punch unit for SR950 Booklet Finisher	411585	\$ 0.00777820
2/3-Hole Punch Kit Type 1045		410785	\$ 0.00777820
	Real time hard drive encription (writes over 2 times)	412152	\$ 0.00713800
Fax Option Type 3245	33.6 Kbps Fax option	412510	\$ 0.01763460
G3 Interface Unit Type 3245	2nd Fax Line	412149	\$ 0.01139500
Delata (Octobrilla del	10	(D 4 14	
	nt/Scan comes standard on this model with 768MB o		Ι φ ο ο ι ο ο ι ο ο ι
PostScript 3 Unit Type 3245	Adobe PostScript3 - Used mainly in MAC environmen		\$ 0.01984860
IEEE802.11b Interface Unit T	, <u> </u>	402378	\$ 0.00723070
IEEE1394 Interface Board Ty	Fire-wire Interface for networking	411264	\$ 0.00723070

	Graphic Color Machines		
Vendor Name:	BUSINESS WORLD		
Speed:	30 - 34 Pages per Minute	AASIS VEN#	100050054
Monthly Maximum Volume:	4,000		10119114
Manufacturer Brand:	Ricoh	Model #	Aficio 3235C
Manufacturer Brand.	ricon	INIOGEI #	/Allolo 02000
Counties to be covered at this	price:		
	way, Dallas, Faulkner, Garland, Grant, Hot Springs, Jeff	erson, Lincoln,	Lonoke.
Monroe, Perry, Pope, Prairie, Po			
, , , , , , , , , , , , , , , , , , , ,	· · · · · ·		
Estimated Delivery timeline aft	ter receipt of order:	15	Days
Ha	ardware Requirements & Maintenance/Servi	ice Cost	
Unit Requirements	Required Capabilities- Minimum Specifications	Part #	Maintenance/Service
Туре	Desktop with Enclosed Base/Stand; digital scanner	002285MIU	Color Cost (CPC)
Features	Three paper sources (3,000 sheets min.)	412136	\$0.15505250
	plus Bypass tray	standard	
	RADF	standard	Maintenance/Service
	Auto 2:2 Duplex	standard	Black & White Cost
	Photo Mode	standard	(CPC)
	Book Copy	standard	\$0.02000000
	Job Programs	standard	
	2-in-1	standard	Color Overage
	APS	standard	\$0.11628938
	ATS	standard	
	Quantity Selector 1-99 (min.)	standard	
	Finisher 1000/30/1	412139	
	Copy Control/Elec. Auditron (10 accounts min.)	standard	
Originals	To 11" X 17"	standard	
Produces Copies	5 1/2" X 8 1/2" to 11" X 17"	standard	
Resolution	600 X 600dpi	standard	
Reduction & Enlargement	Range approx. 50-200% zoom w/presets	standard	
Memory	16 MB	standard	
,			
	Support Cost		
Advanced Installation		Flat Fee	\$0.00
Networking & Troubleshooting		Per Hour	\$125.00
-			
	Accessories & Additional Features Co.	st	
	Component Capabilities	Component	Cost (CPC)
Component Description	Component Capabilities	Component	
Component Description	Component Capabilities	Identification	
SR950 Booklet Finisher	Saddle-Stitch Booklet Finisher	•	\$ 0.02265720
·	, ,	Identification	\$ 0.02265720 \$ 0.00502780
SR950 Booklet Finisher	Saddle-Stitch Booklet Finisher	Identification 412143	-
SR950 Booklet Finisher Punch Kit Type 2238	Saddle-Stitch Booklet Finisher 2 and 3 hole punch unit for SR950 Booklet Finisher	Identification 412143 411585	\$ 0.00502780
SR950 Booklet Finisher Punch Kit Type 2238 2/3-Hole Punch Kit Type 1045 DataOverwriteSecurity System	Saddle-Stitch Booklet Finisher 2 and 3 hole punch unit for SR950 Booklet Finisher	Identification 412143 411585	\$ 0.00502780
SR950 Booklet Finisher Punch Kit Type 2238 2/3-Hole Punch Kit Type 1045	Saddle-Stitch Booklet Finisher 2 and 3 hole punch unit for SR950 Booklet Finisher 2 and 3 hole punch unit for SR960 Finisher	Identification 412143 411585 410785	\$ 0.00502780 \$ 0.00502780
SR950 Booklet Finisher Punch Kit Type 2238 2/3-Hole Punch Kit Type 1045 DataOverwriteSecurity System	Saddle-Stitch Booklet Finisher 2 and 3 hole punch unit for SR950 Booklet Finisher 2 and 3 hole punch unit for SR960 Finisher Real time hard drive encription (writes over 2 times)	Identification 412143 411585 410785 412152	\$ 0.00502780 \$ 0.00502780 \$ 0.00406900
SR950 Booklet Finisher Punch Kit Type 2238 2/3-Hole Punch Kit Type 1045 DataOverwriteSecurity System Fax Option Type 3245 G3 Interface Unit Type 3245	Saddle-Stitch Booklet Finisher 2 and 3 hole punch unit for SR950 Booklet Finisher 2 and 3 hole punch unit for SR960 Finisher Real time hard drive encription (writes over 2 times) 33.6 Kbps Fax option 2nd Fax Line	Identification 412143 411585 410785 412152 412510 412149	\$ 0.00502780 \$ 0.00502780 \$ 0.00406900 \$ 0.00781730
SR950 Booklet Finisher Punch Kit Type 2238 2/3-Hole Punch Kit Type 1045 DataOverwriteSecurity System Fax Option Type 3245 G3 Interface Unit Type 3245	Saddle-Stitch Booklet Finisher 2 and 3 hole punch unit for SR950 Booklet Finisher 2 and 3 hole punch unit for SR960 Finisher Real time hard drive encription (writes over 2 times) 33.6 Kbps Fax option	Identification 412143 411585 410785 412152 412510 412149	\$ 0.00502780 \$ 0.00502780 \$ 0.00406900 \$ 0.00781730
SR950 Booklet Finisher Punch Kit Type 2238 2/3-Hole Punch Kit Type 1045 DataOverwriteSecurity System Fax Option Type 3245 G3 Interface Unit Type 3245	Saddle-Stitch Booklet Finisher 2 and 3 hole punch unit for SR950 Booklet Finisher 2 and 3 hole punch unit for SR960 Finisher Real time hard drive encription (writes over 2 times) 33.6 Kbps Fax option 2nd Fax Line	Identification 412143 411585 410785 412152 412510 412149	\$ 0.00502780 \$ 0.00502780 \$ 0.00406900 \$ 0.00781730
SR950 Booklet Finisher Punch Kit Type 2238 2/3-Hole Punch Kit Type 1045 DataOverwriteSecurity System Fax Option Type 3245 G3 Interface Unit Type 3245	Saddle-Stitch Booklet Finisher 2 and 3 hole punch unit for SR950 Booklet Finisher 2 and 3 hole punch unit for SR960 Finisher Real time hard drive encription (writes over 2 times) 33.6 Kbps Fax option 2nd Fax Line	Identification 412143 411585 410785 412152 412510 412149 MB of RAM	\$ 0.00502780 \$ 0.00502780 \$ 0.00406900 \$ 0.00781730
SR950 Booklet Finisher Punch Kit Type 2238 2/3-Hole Punch Kit Type 1045 DataOverwriteSecurity System Fax Option Type 3245 G3 Interface Unit Type 3245 Note: Printer/Scanner Options	Saddle-Stitch Booklet Finisher 2 and 3 hole punch unit for SR950 Booklet Finisher 2 and 3 hole punch unit for SR960 Finisher Real time hard drive encription (writes over 2 times) 33.6 Kbps Fax option 2nd Fax Line - Print/Scan comes standard on this model with 768	Identification 412143 411585 410785 412152 412510 412149 MB of RAM	\$ 0.00502780 \$ 0.00502780 \$ 0.00406900 \$ 0.00781730 \$ 0.00619750
SR950 Booklet Finisher Punch Kit Type 2238 2/3-Hole Punch Kit Type 1045 DataOverwriteSecurity System Fax Option Type 3245 G3 Interface Unit Type 3245 Note: Printer/Scanner Options PostScript 3 Unit Type 3245	Saddle-Stitch Booklet Finisher 2 and 3 hole punch unit for SR950 Booklet Finisher 2 and 3 hole punch unit for SR960 Finisher Real time hard drive encription (writes over 2 times) 33.6 Kbps Fax option 2nd Fax Line - Print/Scan comes standard on this model with 768	Identification 412143 411585 410785 412152 412510 412149 MB of RAM	\$ 0.00502780 \$ 0.00502780 \$ 0.00406900 \$ 0.00781730 \$ 0.00619750
SR950 Booklet Finisher Punch Kit Type 2238 2/3-Hole Punch Kit Type 1045 DataOverwriteSecurity System Fax Option Type 3245 G3 Interface Unit Type 3245 Note: Printer/Scanner Options PostScript 3 Unit Type 3245 IEEE802.11b Interface Unit	Saddle-Stitch Booklet Finisher 2 and 3 hole punch unit for SR950 Booklet Finisher 2 and 3 hole punch unit for SR960 Finisher Real time hard drive encription (writes over 2 times) 33.6 Kbps Fax option 2nd Fax Line - Print/Scan comes standard on this model with 768 Adobe PostScript3 - Used mainly in MAC environment	Identification 412143 411585 410785 412152 412510 412149 MB of RAM 412151	\$ 0.00502780 \$ 0.00502780 \$ 0.00406900 \$ 0.00781730 \$ 0.00619750 \$ 0.01042400

	Graphic Color Machines		
Vendor Name:	BUSINESS WORLD		<u> </u>
Speed:	35 - 39 Pages per Minute	AASIS VEN#	100050054
Monthly Maximum Volume:	6,000	AASIS MAT#	
	Ricoh		Aficio 3235C
Manufacturer Brand:	RICOII	Model #	Alicio 3233C
Counties to be covered at this	price:		
	nway, Dallas, Faulkner, Garland, Grant, Hot Springs, Je	fferson, Lincoln,	Lonoke,
Monroe, Perry, Pope, Prairie, P		,	,
			T_
Estimated Delivery timeline af	ter receipt of order:	15	Days
u	ardware Requirements & Maintenance/Serv	vice Cost	
	<u> </u>		Maintanana /Oamiiaa
Unit Requirements	Required Capabilities- Minimum Specifications	Part #	Maintenance/Service
Туре	Desktop with Enclosed Base/Stand; digital scanner	002285MIU	Color Cost (CPC)
Features	Three paper sources (3,000 sheets min.)	412136	\$0.13005160
	plus Bypass tray	standard	
	RADF	standard	Maintenance/Service
	Auto 2:2 duplex	standard	Black & White Cost
	Photo Mode	standard	(CPC)
	Bood Copy	standard	\$0.02000000
	Job Programs	standard	Ţ1.0 <u>2</u> 00000
	2-in-1	standard	Color Overage
	margin shift	standard	\$0.09753870
			ψ0.09733870
	covers	standard	
	erase	standard	
	interrupt key	standard	
	interrupt key	standard	
	APS	standard	
	ATS	standard	
	quantity selector 1-999 (min.)	standard	
	finisher 1000/30/1	412139	
	copy control/elec. auditron (10 accounts min.)	standard	
Originals	To 11" X 17"	standard	
Produces Copies	5 1/2" X 8 1/2" to 11" X 17"	standard	
Resolution	600 X 600dpi	standard	
	·	standard	
Reduction & Enlargement	Range approx. 25-400% zoom with presets 16 MB	standard	
Memory	I 10 MID	Stariuaru	
	Support Cost		
Advanced Installation		Flat Fee	\$0.00
Networking & Troubleshooting		Per Hour	\$125.00
			Ţ . <u>_</u>
	Accessories & Additional Features Co	st	
Component Description	Component Capabilities	Component	Cost (CPC)
		Identification	
SR950 Booklet Finisher	Saddle-Stitch Booklet Finisher	412143	\$ 0.01643810
Punch Kit Type 2238	2 and 3 hole punch unit for SR950 Booklet Finisher	411585	\$ 0.00439900
	2 and 3 hole punch unit for SR960 Finisher	410785	\$ 0.00439900
	Real time hard drive encription (writes over 2 times)	412152	\$ 0.00304600
	, , ,		·
Fax Option Type 3245	33.6 Kbps Fax option	412510	\$ 0.00854480
G3 Interface Unit Type 3245	2nd Fax Line	412149	\$ 0.00446500
Note: Printer/Scanner Ontions	│ ₃ - Print/Scan comes standard on this model with 76ः	BMB of RAM	
PostScript 3 Unit Type 3245	Adobe PostScript3 - Used mainly in MAC environment		\$ 0.00728280
IEEE802.11b Interface Unit Ty	·		
iEEEouz.i ib interface Unit Ty	<u> </u>	402378	
IEEE1394 Interface Board Typ	d Fire wire Interfese for nothing diag	411264	\$ 0.00307690

	Graphic Color Machines		
Vendor Name:	BUSINESS WORLD		
Speed:	40 - 49 Pages per Minute	AASIS VEN#	100050054
Monthly Maximum Volume:	8,000 Color	AASIS MAT#	10119116
Manufacturer Brand:	Ricoh	Model #	Aficio 3260C
Counties to be covered at this p	rice:		
	ay, Dallas, Faulkner, Garland, Grant, Hot Springs, Jeffer	son Lincoln Lo	noke
Monroe, Perry, Pope, Prairie, Pula		oon, Emooni, Eo	mono,
		1 45	I_
Estimated Delivery timeline after	r receipt of order:	15	Days
Hai	rdware Requirements & Maintenance/Servic	e Cost	
Unit Requirements	Required Capabilities- Minimum Specifications	Part #	Maintenance/Service
Type	Desktop with Enclosed Base/Stand; digital scanner	412507	Color Cost (CPC)
Features	Required Capabilities- Minimum Specifications	standard	\$0.14508870
	Three paper sources (3,500 sheets min.)	standard	
	plus bypass tray	standard	Maintenance/Service
	RADF	standard	Black & White Cost
	Auto 2:2 duplex	standard	(CPC)
	photo mode	standard	\$0.02000000
	book copy	standard	·
	job programs	standard	Color Overage
	2-in-1	standard	\$0.10881653
	margin shift	standard	¥ CONTROL OF THE PROPERTY OF T
	erase	standard	
	interrupt key	standard	
	APS	standard	
	ATS	standard	
	quantity selector 1-999 (min.)	standard	
	finisher 1500/50/1	412205	
	copy control/elec. auditron (10 accounts min.)	standard	
Originals	To 11" X 17"	standard	
Produces Copies	5 1/2" X 8 1/2" to 11" X 17"	standard	
Resolution	600 X 600dpi	standard	
Reduction & Enlargement	Range approx. 50-400% zoom with presets	standard	
Memory	32 MB	standard	
Memory		Stariuaru	
Advanced Installation	Support Cost	Flat Fee	\$0.00
Networking & Troubleshooting		Per Hour	\$125.00
Networking & Troubleshooting		rei rioui	\$125.00
Component Description	Accessories & Additional Features Cost		Coot (CDC)
Component Description RT43 LCT Bundle	Component Capabilities 4,000 Sheet Large Capacity Tray	Part #	Cost (CPC)
SR980 Saddle Stitch Finisher	Sadde-Stitch Booklet Finisher	002450MIU	\$ 0.00778470
		412207	\$ 0.01711090
SR841 Finisher Bundle	100 Sheet Stapler Finisher 3,000/100/4	002451MIU	\$ 0.01790830
"11"x"17" Tray Unit Type 2105	Coverts the tandem paper tray to an 11x17 1,100 sheet LCT	411398	\$ 0.00380210
Tab Sheet Holder Type 3260	Used to hold tab paper straight in the paper drawer	412209	\$ 0.00120600
2/3-Hole Punch Kit Type 1075	2 and 3 hole punch unit for SR841 and SR970 finisher	411198	\$ 0.00351790
	Allows you to insert preprinted covers without passing		
Cover Interposer Tray Type 3260	through fuser	412213	\$ 0.00441510
8 1/2"x14" Tray Type 1075	Converts the RT43 LCT to hold legal size paper	411187	\$ 0.00322890
Scanner Printer Kit type 3260	Scan/Print Controller with Network Interface Card	002449MIU	\$ 0.01209450
PostScript3 Unit type 3260	Adobe PostScript3 - Used mainly in MAC environment	412223	\$ 0.00778470
Data Overwrite Security Option Type			
С	Real time hard drive encription (writes over 2 times)	411989	\$ 0.00250970
IEEE802.11b Interface Unit Type II	Wireless Interface for networking	402378	\$ 0.00255760
IEEE1394 Interface Board Type B	Fire-wire Interface for networking	411264	\$ 0.00255760

Graphic Color Machines			
Vendor Name:	BUSINESS WORLD		
Speed:	50 - 59 Pages per Minute	AASIS VEN#	100050054
Monthly Maximum Volume:	10,000	AASIS MAT#	10119117
Manufacturer Brand:	Ricoh	Model #	Aficio 3260C
Counties to be covered at this	price		
	price. Iway, Dallas, Faulkner, Garland, Grant, Hot Springs, Jeff	erson Lincoln	Lonoke
Monroe, Perry, Pope, Prairie, Po		erson, Enroun,	LUTIONE,
	, , ,	T	ī
Estimated Delivery timeline aft	ter receipt of order:	15	Days
H	ardware Requirements & Maintenance/Serv	ice Cost	
Unit Requirements	Required Capabilities- Minimum Specifications	Part #	Maintenance/Service
Type	Console; digital scanner	412507	Color Cost (CPC)
Features	Four paper sources (4,000 sht. min.)	standard	\$0.13207100
	including bypass (50 sht. min.) tray	standard	
	RADF	standard	Maintenance/Service
	Auto 2:2 duplex	standard	Black & White Cost
	photo mode	standard	(CPC)
	book copy	standard	\$0.02000000
	job programs	standard	
	2-in-1	standard	Color Overage
	booklet mode	standard	\$0.09905325
	margin shift	standard	·
	covers	standard	1
	erase	standard	
	interrupt key	standard	
	APS	standard	1
	ATS	standard	1
	quantity selector 1-999 (min.)	standard	1
	finisher 2000/50/3	412205	
	copy control/elec. auditron (10 accts min.)	standard	1
Originals	To 11" X 17"	standard	1
Produces Copies	5 1/2" X 8 1/2" to 11" X 17"	standard	
Resolution	600 X 600dpi	standard	1
Reduction & Enlargement	Range approx. 25-400% zoom with presets	standard	1
Memory	32 MB	standard	1
		1010110010	
A di con a a di lo atallati a a	Support Cost		fo.00
Advanced Installation		Flat Fee	\$0.00
Networking & Troubleshooting		Per Hour	\$125.00
	Accessories & Additional Features Co	st	
Component Description	Component Capabilities	Part #	Cost (CPC)
RT43 LCT Bundle	4,000 Sheet Large Capacity Tray	002450MIU	\$ 0.00642770
SR980 Saddle Stitch Finisher	Sadde-Stitch Booklet Finisher	412207	\$ 0.01448870
SR841 Finisher Bundle	100 Sheet Stapler Finisher 3,000/100/4	002451MIU	\$ 0.01512660
		4	
"11"x"17" Tray Unit Type 2105	Coverts the tandem paper tray to an 11x17 1,100 sheet LCT	411398	\$ 0.00427960
Tab Sheet Holder Type 3260	Used to hold tab paper straight in the paper drawer	412209	\$ 0.00116500
2/3-Hole Punch Kit Type 1075	2 and 3 hole punch unit for SR841 and SR970 finisher	411198	\$ 0.00350800
Cover Interposer Tray Type 3260	Allows you to insert preprinted covers without passing through fuser	442242	¢ 0.00272240
8 1/2"x14" Tray Type 1075	Converts the RT43 LCT to hold legal size paper	412213 411187	\$ 0.00373210 \$ 0.00325720
Scanner Printer Kit type 3260	Scan/Print Controller with Network Interface Card	002449MIU	\$ 0.00325720
PostScript3 Unit type 3260	Adobe PostScript3 - Used mainly in MAC environment	412223	\$ 0.00642770
Data Overwrite Security Option		112220	ψ 0.000 1 2110
Type C	Real time hard drive encription (writes over 2 times)	411989	\$ 0.00220780
IEEE802.11b Interface Unit Type II	Wireless Interface for networking	402378	\$ 0.00257740
IEEE1394 Interface Board Type B	Fire-wire Interface for networking	411264	\$ 0.00257740

Graphic Color Machines			
Vendor Name:	BUSINESS WORLD		
Speed:	60 + Pages per Minute	AASIS VEN#	100050054
Monthly Maximum Volume:	15000 Color	AASIS MAT#	10119118
Manufacturer Brand:	Ricoh	Model #	Aficio 3260C
Counties to be covered at this	nrice:		
	way, Dallas, Faulkner, Garland, Grant, Hot Springs, Jeff	erson Lincoln I	onoke
Monroe, Perry, Pope, Prairie, Pu		Croon, Emooni, i	zorioko,
		45	n
Estimated Delivery timeline aft	er receipt of order:	15	Days
На	ardware Requirements & Maintenance/Servi	ce Cost	
Unit Requirements	Required Capabilities- Minimum Specifications	Part #	Maintenance/Service
Туре	Console; digital scanner	412507	Color Cost (CPC)
Features	Five paper sources (5,000 sht. min.)	002450MIU	\$0.11698930
	including bypass (50 sht. min.) tray	standard	
	RADF	standard	Maintenance/Service
	Auto 2:2 duplex	standard	Black & White Cost
	photo mode	standard	(CPC)
	book copy	standard	\$0.02000000
	job programs	standard	
	2-in-1	standard	Color Overage
	booklet mode	standard	\$0.08774198
	margin shift	standard	•
	covers	standard	
	erase	standard	
	interrupt key	standard	
	APS	standard	
	ATS	standard	
	QUANTITY SELECTOR 1-999 (min.)	standard	
	finisher 2000/50/3	412205	
	copy control/elect. auditron (10 accts min.)	standard	
Originals	To 11" X 17"	standard	
Produces Copies	5 1/2" X 8 1/2" to 11" X 17"	standard	
Resolution	600 X 600dpi		
Reduction & Enlargement	Range approx. 25-400% zoom with presets	standard	
	32 MB	standard standard	
Memory		Stariuaru	
	Support Cost	lec . e	
Advanced Installation		Flat Fee	\$0.00
Networking & Troubleshooting		Per Hour	\$125.00
	Accessories & Additional Features Cos	st	
Component Description	Component Capabilities	Component	Cost (CPC)
		Identification	
SR980 Saddle Stitch Finisher	Sadde-Stitch Booklet Finisher	412207	\$ 0.01165240
SR841 Finisher Bundle	100 Sheet Stapler Finisher 3,000/100/4	002451MIU	\$ 0.01207770
	, , , , , , , , , , , , , , , , , , , ,		
"11"x"17" Tray Unit Type 2105	Coverts the tandem paper tray to an 11x17 1,100 sheet LCT	411398	\$ 0.00318640
Tab Sheet Holder Type 3260	Used to hold tab paper straight in the paper drawer	412209	\$ 0.00111000
2/3-Hole Punch Kit Type 1075	2 and 3 hole punch unit for SR841 and SR970 finisher	411198	\$ 0.00266760
Cover Interposer Tray Type 3260	Allows you to insert preprinted covers without passing through fuser	412213	\$ 0.00282140
8 1/2"x14" Tray Type 1075	Converts the RT43 LCT to hold legal size paper	411187	\$ 0.00250480
Scanner Printer Kit type 3260	Scan/Print Controller with Network Interface Card	002449MIU	\$ 0.00230480
PostScript3 Unit type 3260	Adobe PostScript3 - Used mainly in MAC environment	412223	\$ 0.00461850
Data Overwrite Security Option	Adobe i ostochpto - osed mainly in MAC environment	712223	Ψ 0.00401030
Type C	Real time hard drive encription (writes over 2 times)	411989	\$ 0.00188000
IEEE802.11b Interface Unit Type II	Wireless Interface for networking	402378	\$ 0.00205160
IEEE1394 Interface Board Type B	Fire-wire Interface for networking	411264	\$ 0.00205160
ILLE 1994 III.ellace boald Type B	Time wife interface for fletworking	711204	<u>ΓΨ</u> 0.00203100

	Graphic Color Machines		
Vendor Name:	BUSINESS WORLD	T	T
Speed:	80 + Pages per Minute	AASIS VEN#	100050054
Monthly Maximum Volume:	20,000	AASIS MAT#	10119119
Manufacturer Brand:	20,000	Model #	10110110
Manufacturer Brand.		INIOGEI #	
Counties to be covered at this	s nrice:		
Counties to be covered at time	5 prioc.		
Estimated Delivery timeline a	fter receipt of order:	1	Da
Edinialed Bontory timeline a	itor rocorpt or order.		
H	lardware Requirements & Maintenance/Serv	rice 5	
Unit Requirements	Required Capabilities- Minimum Specific	P	Ma nance/Se e
Туре	Console; digital scanner		C Cost (C
Features	Five paper sources (5,000 sht. min.)		.0000000
	including bypass (50 sht. min.) tray		
	RADF		Ma nance rvice
	Auto 2' Auplex		Black & Jan e Cost
	photo ode		(of C)
	boo' py		\$0.0000000
	job grams		·
	2-ir		Color Overage
	book t mode		\$0.0000000
	ma		
	cov		
	eras		
	interi		
	APS		
	ATS		
	QUANTITY SELECTOR 1-999 (min.)		
	finisher 2000/50/3		
	copy control/elect. auditron (10 accts min.)		
Originals	To 11" X 17"		
Produces Copies	5 1/2" X 8 1/2" to 11" X 17"		
Resolution	600 X 600dpi		
Reduction & Enlargement	Range approx. 25-400% zoom with presets		
Memory	32 MB		
	Support Cost		
Advanced Installation		Flat Fee	\$0.00
Networking & Troubleshooting		Per Hour	\$0.00
	Assessed to 0 A LUC 15 4		
Component Description	Accessories & Additional Features Co		Coot (CDC)
Component Description	Component Capabilities	Component	Cost (CPC)
		Identification	
		1	1

Business Color Hybrid Machines

	Business Color Hybrid Machines	i	
	Hybrid Machines		
Vendor Name:	BUSINESS WORLD		
Speed:	10 - 14 Pages per Minute	AASIS VEN#	100050054
Monthly Maximum Volume:	2,000	AASIS MAT#	10119110
Manufacturer Brand:	Ricoh	Model #	Aficio 3224
		11110000111	
Counties to be covered at this	price:		
	way, Dallas, Faulkner, Garland, Grant, Hot Springs, Jef	ferson Lincoln	l onoke
Monroe, Perry, Pope, Prairie, Pu			
Monroe, renry, repe, rrame, re	andra, Camio, Winto		
Estimated Delivery timeline aft	ter receipt of order:	15	Days
Estimated Delivery timeline and	ici receipt of order.	110	Days
LI.	ordware Deguirements 9 Maintenance/Corv	ioo Coot	
	ardware Requirements & Maintenance/Serv		1
Unit Requirements	Required Capabilities- Minimum Specifications	Part #	Maintenance/Service
Type	Desktop with Enclosed Base/Stand; digital scanner	412506	Black & White Cost
		411467	(CPC)
Features	Single paper source (250 sheets minimum)	standard	\$0.10128500
	plus a Bypass tray	standard	
	Manual Document Feed	standard	Maintenance/Service
	Photo Mode	standard	Color Cost (CPC)
	Quantity Selector 1-99 (minimum)	standard	\$0.12000000
Originals	8 1/2" X 14"	standard	
Produces Copies	5 1/2" X 8 1/2" to 8 1/2" X 14"	standard	BW Overage Cost
Resolution	400 X 400dpi	standard	\$0.07596375
Reduction & Enlargement	Not Required	standard	
Memory	4 MB	standard	
	Support Cost		
Advanced Installation		Flat Fee	\$0.00
Networking & Troubleshooting		Per Hour	\$125.00
Ţ Ţ			
	Accessories & Additional Features Co	st	
Component Description	Component Capabilities	Component	Cost (CPC)
	Component Capazinino	Identification	
PS510 2 Tray Paper Bank	(2) 500 Sheet Paper Bank	405368	\$ 0.01429570
PS520 Large Capacity Tray	2,000 Sheet Large Capacity Tray	405370	\$ 0.01390460
500 Sheet Finisher Kit	Single Position Staple Sorter Finisher	002338MIU	\$ 0.01908660
1000 Sheet Finisher Kit	1000/50/3 Multi-Position Staple Sorter Finisher	002337MIU	\$ 0.02627400
DataOverwriteSecurity System	Real time hard drive encription (writes over 2 times)	412152	\$ 0.00713800
Fax Option Type 3232	33.6 Kbps Fax option	412511	\$ 0.01771280
G3 Interface Unit Type 3232	2nd Fax Line	412260	\$ 0.01162600
		1==00	
Note: Printer/Scanner Options	- Print/Scan comes standard on this model with 768	MB of RAM	'
IEEE802.11b Interface Unit			
Type II	Wireless Interface for networking	402378	\$ 0.00723070
IEEE1394 Interface Board Type		1	
В	Fire-wire Interface for networking	411264	\$ 0.00723070
		1	

Adobe PostScript3 - Used mainly in MAC environment

412254

0.01154650

PostScript Unit Type 3232

	Hybrid Machines		
	,		
Vendor Name:	BUSINESS WORLD		
Speed:	15 - 19 Pages per Minute	AASIS VEN#	100050054
Monthly Maximum Volume:	4,000	AASIS MAT#	10119111
Manufacturer Brand:	Ricoh	Model #	Aficio 3224C
Counties to be covered at this	price:		
Arkansas, Clark, Cleveland, Cor	nway, Dallas, Faulkner, Garland, Grant, Hot Springs, Jef	ferson, Lincoln,	Lonoke,
Monroe, Perry, Pope, Prairie, P	ulaski, Saline, White		
Estimated Delivery timeline af	ter receipt of order:	15	Days
Н	ardware Requirements & Maintenance/Serv	ice Cost	
Unit Requirements	Required Capabilities- Minimum Specifications	Component	Maintenance/Service
onii requiremente	Troquiros capabilistos minimani opositios.	Identification	Black & White Cost
Туре	Desktop with Enclosed Base/Stand; digital scanner	412506	(CPC)
Турс	Desktop with Enclosed Base/Otana, digital scarnici	411467	(3. 3)
Features	Single paper source (250 sheets minimum)	standard	\$0.05664250
realures	,	standard	ψ0.0300 4 230
	plus Bypass tray ADF	standard	Maintenance/Service
	Photo Mode	standard	Color Cost (CPC)
Originala	Quantity Selector 1-99 (minimum)	standard	\$0.10000000
Originals	To 8 1/2" X 14"	standard	DIM O O
Produces Copies	5 1/2" X 8 1/2" to 8 1/2" X 14"	standard	BW Overage Cost
Resolution	400 X 400dpi	standard	\$0.04248188
Reduction & Enlargement	Range approx. 50-200% zoom w/presets	standard	
Memory	6 MB	standard	
A L second Leafallada	Support Cost	Telling E	# 0.00
Advanced Installation		Flat Fee	\$0.00
Networking & Troubleshooting		Per Hour	\$125.00
	Accessories & Additional Features Co		0 (000)
Component Description	Component Capabilities	Component	Cost (CPC)
POSTO O T	(0) 500 01 (D	Identification	Φ 00704700
PS510 2 Tray Paper Bank	(2) 500 Sheet Paper Bank	405368	\$ 0.00764780
PS520 Large Capacity Tray	2,000 Sheet Large Capacity Tray	405370	\$ 0.00745230
500 Sheet Finisher Kit	Single Position Staple Sorter Finisher	002338MIU	\$ 0.01304300
1000 Sheet Finisher Kit	1000/50/3 Multi-Position Staple Sorter Finisher	002337MIU	\$ 0.01513700
	Real time hard drive encription (writes over 2 times)	412152	\$ 0.00406900
Fax Option Type 3232	33.6 Kbps Fax option	412511	\$ 0.01085640
G3 Interface Unit Type 3232	2nd Fax Line	412260	\$ 0.00631300
Printer/Scanner Options	Print/Scan comes standard on this model with 768	_	
IEEE802.11b Interface Unit Ty	<u> </u>	402378	\$ 0.00411530
	Fire-wire Interface for networking	411264	\$ 0.00411530
PostScript Unit Type 3232	Adobe PostScript3 - Used mainly in MAC environmen	t 412254	\$ 0.00680050

Hybrid Machines			
Vendor Name:	BUSINESS WORLD		l e
Speed:	20 - 24 Pages per Minute	AASIS VEN#	100050054
Monthly Maximum Volume:	7,500	AASIS MAT#	10119112
Manufacturer Brand:	Ricoh	Model #	Aficio 3224C
variatactarer Brana.	TWO II	INIOGCI #	7 (11010 022 10
Counties to be covered at this	price:		
Arkansas, Clark, Cleveland, Cor	nway, Dallas, Faulkner, Garland, Grant, Hot Springs, Jef	ferson, Lincoln,	Lonoke,
Monroe, Perry, Pope, Prairie, P	ulaski, Saline, White		
		T 4=	T_
Estimated Delivery timeline af	ter receipt of order:	15	Days
H	ardware Requirements & Maintenance/Serv	rice Cost	
Unit Requirements	Required Capabilities- Minimum Specifications	Part #	Maintenance/Service
<u> </u>	Required Capabilities- Wilhimum Specifications		Black & White Cost
Туре	Dealth 19 Feelers Deart Otes Patrick	412506	(CPC)
=-4	Desktop with Enclosed Base/Stand; digital scanner	411467	#0.00007000
eatures	Two paper sources (500 sheets minimum)	standard	\$0.03667600
	plus Bypass tray	standard	Maintena (O. 1
	ADF	standard	Maintenance/Service
	Auto 2:2 duplex	standard	Color Cost (CPC)
	Photo Mode	standard	\$0.10000000
	Quantity Selector 1-99 (Minimum)	standard	
	APS	standard	BW Overage Cost
	ATS	standard	\$0.02750700
	Book Copy	standard	
	2-in-1	standard	
	Job Programs	standard	
	10BS or Electronic sorting	standard	
Originals	To 11" X 17"	standard	
Produces Copies	5 1/2" X 8 1/2" to 11" X 17"	standard	
Resolution	400 X 400dpi	standard	
Reduction & Enlargement	Range approx. 50-200% Zoom w/presets	standard	
Memory	8 MB	standard	
	Support Cost		
Advanced Installation	Support Cost	Flat Fee	\$0.0
Networking & Troubleshooting		Per Hour	\$125.0
Tetworking a Troubleshooting		i ci riodi	ψ120.
	Accessories & Additional Features Co	st	
Component Description	Component Capabilities	Component Identification	Cost (CPC)
	(0) 500 01 1 1 0 0 1		\$ 0.0045455
PS510 2 Tray Paper Bank	(2) 500 Sheet Paper Bank	405368	
PS510 2 Tray Paper Bank PS520 Large Capacity Tray	2,000 Sheet Paper Bank 2,000 Sheet Large Capacity Tray	405366	
			\$ 0.0044412
PS520 Large Capacity Tray	2,000 Sheet Large Capacity Tray	405370	\$ 0.0044412 \$ 0.0088231
PS520 Large Capacity Tray 500 Sheet Finisher Kit 1000 Sheet Finisher Kit	2,000 Sheet Large Capacity Tray Single Position Staple Sorter Finisher	405370 002338MIU	\$ 0.0044412 \$ 0.0088231 \$ 0.0090939
PS520 Large Capacity Tray 500 Sheet Finisher Kit 1000 Sheet Finisher Kit	2,000 Sheet Large Capacity Tray Single Position Staple Sorter Finisher 1000/50/3 Multi-Position Staple Sorter Finisher	405370 002338MIU 002337MIU	\$ 0.0044412 \$ 0.0088231 \$ 0.0090939 \$ 0.0026368
PS520 Large Capacity Tray 500 Sheet Finisher Kit 1000 Sheet Finisher Kit DataOverwriteSecurity System	2,000 Sheet Large Capacity Tray Single Position Staple Sorter Finisher 1000/50/3 Multi-Position Staple Sorter Finisher Real time hard drive encription (writes over 2 times)	405370 002338MIU 002337MIU 412152	\$ 0.0044412 \$ 0.0088231 \$ 0.0090939 \$ 0.0026368 \$ 0.0076567
PS520 Large Capacity Tray 500 Sheet Finisher Kit 1000 Sheet Finisher Kit DataOverwriteSecurity System Fax Option Type 3232	2,000 Sheet Large Capacity Tray Single Position Staple Sorter Finisher 1000/50/3 Multi-Position Staple Sorter Finisher Real time hard drive encription (writes over 2 times) 33.6 Kbps Fax option	405370 002338MIU 002337MIU 412152 412511	\$ 0.0044412 \$ 0.0088231 \$ 0.0090939 \$ 0.0026368 \$ 0.0076567
PS520 Large Capacity Tray 500 Sheet Finisher Kit 1000 Sheet Finisher Kit DataOverwriteSecurity System Fax Option Type 3232	2,000 Sheet Large Capacity Tray Single Position Staple Sorter Finisher 1000/50/3 Multi-Position Staple Sorter Finisher Real time hard drive encription (writes over 2 times) 33.6 Kbps Fax option	405370 002338MIU 002337MIU 412152 412511 412260	\$ 0.0044412 \$ 0.0088231 \$ 0.0090939 \$ 0.0026368 \$ 0.0076567
PS520 Large Capacity Tray 500 Sheet Finisher Kit 1000 Sheet Finisher Kit DataOverwriteSecurity System Fax Option Type 3232 G3 Interface Unit Type 3232	2,000 Sheet Large Capacity Tray Single Position Staple Sorter Finisher 1000/50/3 Multi-Position Staple Sorter Finisher Real time hard drive encription (writes over 2 times) 33.6 Kbps Fax option 2nd Fax Line Print/Scan comes standard on this model with 768	405370 002338MIU 002337MIU 412152 412511 412260	\$ 0.0044412 \$ 0.0088231 \$ 0.0090939 \$ 0.0026368 \$ 0.0076567 \$ 0.0038336
PS520 Large Capacity Tray 500 Sheet Finisher Kit 1000 Sheet Finisher Kit DataOverwriteSecurity System Fax Option Type 3232 G3 Interface Unit Type 3232 Printer/Scanner Options	2,000 Sheet Large Capacity Tray Single Position Staple Sorter Finisher 1000/50/3 Multi-Position Staple Sorter Finisher Real time hard drive encription (writes over 2 times) 33.6 Kbps Fax option 2nd Fax Line Print/Scan comes standard on this model with 768I Wireless Interface for networking	405370 002338MIU 002337MIU 412152 412511 412260	\$ 0.0044412 \$ 0.0088231 \$ 0.0090939 \$ 0.0026368 \$ 0.0076567 \$ 0.0038336

	Hybrid Machines		
Vendor Name:	BUSINESS WORLD		
Speed:	25 - 29 Pages per Minute	AASIS VEN#	100050054
Monthly Maximum Volume:	10,000		10119113
Manufacturer Brand:	Ricoh	Model #	Aficio 3228C
manufacturer Brand.	Tricon	INIOGCI #	711010 02200
Counties to be covered at this	s price:		
Arkansas, Clark, Cleveland, Co	nway, Dallas, Faulkner, Garland, Grant, Hot Springs, Je	fferson, Lincoln,	Lonoke,
Monroe, Perry, Pope, Prairie, P	Pulaski, Saline, White		
Estimated Delivery timeline at	fter receipt of order:	15	Days
			y
н	ardware Requirements & Maintenance/Serv	ice Cost	
Unit Requirements	Required Capabilities- Minimum Specifications	Component Identification	Maintenance/Service Black & White Cost
Type	Desktop with Enclosed Base/Stand; digital scanner	002284MIU	(CPC)
Features	Two paper sources (1,500 sheets minimum)	412132	\$0.03735600
	plus Bypass tray	standard	
	ADF	standard	Maintenance/Service
	Auto 2:2 duplex,	standard	Color Cost (CPC)
	Photo Mode	standard	\$0.1000000
	Quantity Selector 1-99 (Minimum)	standard	
	APS	standard	BW Overage Cost
	ATS	standard	\$0.02801700
	book copy	standard	
	2-in-1	standard	
	job programs	standard	
	finisher 1000/20/1	412139	
Originals	To 11" X 17"	standard	
Produces Copies	5 1/2" X 8 1/2" to 11" X 17"	standard	
Resolution	400 X 400dpi	standard	
Reduction & Enlargement	Range approx. 50-200% Zoom w/presets	standard	
Memory	12 MB	standard	
	Support Cost		
Advanced Installation		Flat Fee	\$0.00
Networking & Troubleshooting		Per Hour	\$125.00
	Accessories & Additional Features Co	ost	
Component Description	Component Capabilities	Component	Cost (CPC)
PS590 Paper Bank	(2) 500 Sheet Paper Bank	Identification 412134	\$ 0.00375800
PS600 LCT	2,000 Sheet Paper Bank 2,000 Sheet Large Capacity Tray	412134	\$ 0.00375800
SR950 Booklet Finisher	Saddle-Stitch Booklet Finisher	412143	\$ 0.01046280
Punch Kit Type 2238	2 and 3 hole punch unit for SR950 Booklet Finisher	411585	\$ 0.00236110
	2 and 3 hole punch unit for SR950 Booklet Finisher	410785	\$ 0.00236110
, ,	Real time hard drive encription (writes over 2 times)	412152	\$ 0.00197760
Fax Option Type 3245	33.6 Kbps Fax option	412510	\$ 0.00572690
G3 Interface Unit Type 3245	2nd Fax Line	412149	\$ 0.00282900
71		-	
Printer/Scanner Options	Print/Scan comes standard on this model with 768	MB of RAM	
PostScript 3 Unit Type 3245	Adobe PostScript3 - Used mainly in MAC environmen	t 412151	\$ 0.00451970
IEEE802.11b Interface Unit Tv	Wireless Interface for networking	402378	\$ 0.00199610
ILLEGOZ. I ID IIILEIIACE OIIIL I	<u> </u>		

Hybrid Machines			
Vender Nemer	DUCINECO WORLD	ı	I
Vendor Name:	BUSINESS WORLD	A A CIC VENII	400050054
Speed:	30 - 34 Pages per Minute	AASIS VEN#	
Monthly Maximum Volume:	20,000	AASIS MAT#	
Manufacturer Brand:	Ricoh	Model #	Aficio 3235C
Counties to be covered at this		iaraan Linaala	Landia
	nway, Dallas, Faulkner, Garland, Grant, Hot Springs, Jeff	erson, Lincoin,	Lonoke,
Monroe, Perry, Pope, Prairie, P	ulaski, Sailile, White		
Estimated Delivery timeline af	tor receipt of order:	15	Days
LStilliated Delivery tilliellile al	ter receipt of order.	13	Days
Н	ardware Requirements & Maintenance/Serv	ice Cost	
		1	Maintenance/Service
Unit Requirements	Required Capabilities- Minimum Specifications	Part #	
Type	Desktop with Enclosed Base/Stand; digital scanner	002285MIU	Black & White Cost
Features	Three paper sources (3,000 sheets min.)	412136	\$0.02461550
	plus Bypass tray RADF	standard	Maintananaa/Carris
	1 11 12 1	standard	Maintenance/Service
	Auto 2:2 Duplex	standard	Color Cost (CPC)
	Photo Mode	standard	\$0.10000000
	Book Copy	standard	DIM Occasion Cont
	Job Programs	standard	BW Overage Cost
	2-in-1	standard	\$0.01846163
	APS	standard	
	ATS	standard	
	Quantity Selector 1-99 (min.)	standard	
	Finisher 1000/30/1	412139	
Oddada	Copy Control/Elec. Auditron (10 accounts min.)	standard	
Originals	To 11" X 17"	standard	
Produces Copies	5 1/2" X 8 1/2" to 11" X 17"	standard	
Resolution	600 X 600dpi	standard	
Reduction & Enlargement	Range approx. 50-200% zoom w/presets	standard	
Memory	16 MB	standard	
	Commant Coat		
	Support Cost	T	T .
Advanced Installation		Flat Fee	\$0.00
Networking & Troubleshooting		Per Hour	\$125.00
	Accessories & Additional Features Co	st 	
Component Description	Component Capabilities	Component	Cost (CPC)
		Identification	
SR950 Booklet Finisher	Saddle-Stitch Booklet Finisher	412143	\$ 0.00693140
Punch Kit Type 2238	2 and 3 hole punch unit for SR950 Booklet Finisher	411585	\$ 0.00160550
	2 and 3 hole punch unit for SR960 Finisher	410785	\$ 0.00160550
	Real time hard drive encription (writes over 2 times)	412152	\$ 0.00141380
Fax Option Type 3245	33.6 Kbps Fax option	412510	\$ 0.00456300
G3 Interface Unit Type 3245	2nd Fax Line	412149	\$ 0.00183960
Drinton/Ossanos G. di	Drivido con como a stantante de la contra la c	 	
Printer/Scanner Options	Print/Scan comes standard on this model with 768M		Φ 00000100
PostScript 3 Unit Type 3245	Adobe PostScript3 - Used mainly in MAC environment	-	\$ 0.00268480
IEEE802.11b Interface Unit Ty	<u>. </u>	402378	\$ 0.00142300
IEEE1394 Interface Board Typ	Fire-wire Interface for networking	411264	\$ 0.00142300

Hybrid Machines			
Vendor Name:	BUSINESS WORLD	1	
Speed:	35 - 39 Pages per Minute	AASIS VEN#	100050054
Monthly Maximum Volume:	30,000		10119115
Manufacturer Brand:	Ricoh	Model #	MP C3500
Manufacturer Brand.	procon	IWIOGEI #	IVII COOOO
Counties to be covered at this	price:		
	way, Dallas, Faulkner, Garland, Grant, Hot Springs, Jef	ferson, Lincoln,	Lonoke,
Monroe, Perry, Pope, Prairie, Pope, Pope, Prairie, Pope,	ulaski, Saline, White		
		1 45	_
Estimated Delivery timeline af	er receipt of order:	15	Days
H:	ardware Requirements & Maintenance/Serv	rice Cost	
Unit Requirements	Required Capabilities- Minimum Specifications	Component	Maintenance/Service
Onit Requirements	Required Capabilities- William Specifications	Identification	Black & White Cost
Туре	Desktop with Enclosed Base/Stand; digital scanner	412136	(CPC)
Features	Three paper sources (3,000 sheets min.)	DNMS	\$0.01667700
Only has 2 paper trays with 500	plus Bypass tray	Standard	Q 0.01.001.1.00
sheet capacity each.	Reversing Automatic Docment Feeder	412393	Maintenance/Service
,	Auto 2:2 duplex productivity	Standard	Color Cost (CPC)
	Photo Mode	Standard	\$0.10000000
	Book Copy	Standard	·
	Job Programs	Standard	BW Overage Cost
	2-in-1	Standard	\$0.01250775
	margin shift	Standard	
	covers	Standard	
	erase	Standard	
	interrupt key	Standard	
	interrupt key	Standard	
	Auto Paper Switching	Standard	
	Auto Tray Switching	Standard	
	quantity selector 1-999 (min.)	Standard	
	finisher 1000/30/1	412730	
	copy control/elec. auditron (10 accounts min.)	Standard	
Originals	To 11" X 17"	Standard	
Produces Copies	5 1/2" X 8 1/2" to 11" X 17"	Standard	
Resolution	600 X 600dpi	Standard	
Reduction & Enlargement	Range approx. 25-400% zoom with presets	Standard	
Memory	16 MB	Standard	
	Support Coat		
Advanced Installation	Support Cost	Flat Fee	\$0.00
Networking & Troubleshooting		Per Hour	\$125.00
Tretworking & Troubleshooting		1 Ci i iodi	ψ123.00
	Accessories & Additional Features Co	st	
Component Description	Component Capabilities	Component	Cost (CPC)
		Identification	
SR950 Booklet Finisher	Saddle-Stitch Booklet Finisher	413323	\$ 0.00515000
Punch Kit Type 2238	2 and 3 hole punch unit for SR950 Booklet Finisher	412209	\$ 0.00134640
DataOverwriteSecurity System	1 \	412152	\$ 0.00107580
Fax Option Type 3245	33.6 Kbps Fax option	413347	\$ 0.00357565
G3 Interface Unit Type 3245	2nd Fax Line	413060	\$ 0.00135900

	Hybrid Machines		
Vendor Name:	BUSINESS WORLD		
		AASIS VEN#	100050054
Speed:	40 - 49 Pages per Minute 40,000		10119116
Monthly Maximum Volume:	·	AASIS MAT#	
Manufacturer Brand:	Ricoh	Model #	Aficio 3260C
Counties to be covered at this	s price:		
	nway, Dallas, Faulkner, Garland, Grant, Hot Springs, Jeffe	erson, Lincoln, L	onoke.
Monroe, Perry, Pope, Prairie, P	• • • • • • • • • • • • • • • • • • • •		
, , , , , , , , , , , , , , , , , , ,			
Estimated Delivery timeline af	ter receipt of order:	15	Days
	<u>ardware Requirements & Maintenance/Service</u>		_
Unit Requirements	Required Capabilities- Minimum Specifications	Part #	Maintenance/Service
Type	Desktop with Enclosed Base/Stand; digital scanner		Black & White Cost
Features	Required Capabilities- Minimum Specifications		\$0.01926770
	Three paper sources (3,500 sheets min.)		
	plus bypass tray		Maintenance/Service
	RADF		Color Cost (CPC)
	Auto 2:2 duplex		\$0.1000000
	photo mode		
	book copy		BW Overage Cost
	job programs		\$0.01445078
	2-in-1		¥ 0.00 T T T T T T T T T T T T T T T T T
	margin shift		
	erase		
	interrupt key		
	APS		
	ATS		
	quantity selector 1-999 (min.)		
	finisher 1500/50/1		
	copy control/elec. auditron (10 accounts min.)		
Originals	To 11" X 17"		
Produces Copies	5 1/2" X 8 1/2" to 11" X 17"		
Resolution	600 X 600dpi		
Reduction & Enlargement	Range approx. 50-400% zoom with presets		
Memory	32 MB		
	Summart Coat		
Advanced Installation	Support Cost	Flat Fee	\$0.00
Networking & Troubleshooting	†	Per Hour	\$125.00
			ψ. <u></u> =5.50
	Accessories & Additional Features Cos	t	
Component Description	Component Capabilities	Part #	Cost (CPC)
RT43 LCT Bundle	4,000 Sheet Large Capacity Tray	002450MIU	\$ 0.00198190
SR980 Saddle Stitch Finisher	Sadde-Stitch Booklet Finisher	412207	\$ 0.00512221
SR841 Finisher Bundle	100 Sheet Stapler Finisher 3,000/100/4	002451MIU	\$ 0.00528160
"11"x"17" Tray Unit Type 2105	Coverts the tandem paper tray to an 11x17 1,100 sheet LCT	411398	\$ 0.00144490
Tab Sheet Holder Type 3260 2/3-Hole Punch Kit Type 1075	Used to hold tab paper straight in the paper drawer	412209	\$ 0.00066600
2/3-HOIE FUHCH KIL Type TU/5	2 and 3 hole punch unit for SR841 and SR970 finisher	411198	\$ 0.00125200
Cover Interposer Tray Type 3260	Allows you to insert preprinted covers without passing through fuser	412213	\$ 0.00130800
8 1/2"x14" Tray Type 1075	Converts the RT43 LCT to hold legal size paper	411187	\$ 0.00107000
y y,			
Scanner Printer Kit type 3260	Scan/Print Controller with Network Interface Card	002449MIU	
PostScript3 Unit type 3260	Adobe PostScript3 - Used mainly in MAC environment	412223	\$ 0.00191900
			<u> </u>
Data Overwrite Security Option Type C	Real time hard drive encription (writes over 2 times)	411989	\$ 0.00092690
IEEE000 441 1	L Wyrologo Intertogo for networking	402378	\$ 0.00093650
IEEE802.11b Interface Unit Type II IEEE1394 Interface Board Type B	Wireless Interface for networking Fire-wire Interface for networking	411264	\$ 0.00093650

Hybrid Machines			
Vendor Name:	BUSINESS WORLD		
Speed:	50 - 59 Pages per Minute	AASIS VEN#	100050054
Monthly Maximum Volume:	50,000	AASIS VEN#	
Manufacturer Brand:	,	Model #	Aficio 3260C
Manufacturer Brand:	Ricoh	iviodei #	Alicio 3200C
Counties to be covered at this	nrice:		
	nway, Dallas, Faulkner, Garland, Grant, Hot Springs, Jeff	erson. Lincoln.	Lonoke.
Monroe, Perry, Pope, Prairie, P	· · · · · · · · · · · · · · · · · · ·		,
, , , , , , , , , , , , , , , , , , , ,			
Estimated Delivery timeline af	ter receipt of order:	15	Days
H	ardware Requirements & Maintenance/Serv	ice Cost	
Unit Requirements	Required Capabilities- Minimum Specifications	Component Identification	Maintenance/Service Black & White Cost
Type	Console; digital scanner	412507	(CPC)
Features	Four paper sources (4,000 sht. min.)	standard	\$0.01741420
	including bypass (50 sht. min.) tray	standard	
	RADF	standard	Maintenance/Service
	Auto 2:2 duplex	standard	Color Cost (CPC)
	photo mode	standard	\$0.10000000
	book copy	standard	
	job programs	standard	BW Overage Cost
	2-in-1	standard	\$0.01306065
	booklet mode	standard	
	margin shift	standard	
	covers	standard	
	erase	standard	
	interrupt key APS	standard standard	
	ATS	standard	
	quantity selector 1-999 (min.)	standard	
	finisher 2000/50/3	412205	
	copy control/elec. auditron (10 accts min.)	standard	
Originals	To 11" X 17"	standard	
Produces Copies		standard	
· ·	5 1/2" X 8 1/2" to 11" X 17"		
Resolution	600 X 600dpi Range approx. 25-400% zoom with presets	standard	
Reduction & Enlargement Memory	32 MB	standard standard	
Welliory	JOZ IVID	Stariuaru	
	Support Cost		
Advanced Installation	σαρροίτ σοστ	Flat Fee	\$0.00
Networking & Troubleshooting		Per Hour	\$0.00 \$125.00
Networking & Troubleshooting		i ei rioui	ψ123.00
	Accessories & Additional Features Co	st	
Component Description	Component Capabilities	Component Identification	Cost (CPC)
RT43 LCT Bundle	4,000 Sheet Large Capacity Tray	002450MIU	\$ 0.00178550
SR980 Saddle Stitch Finisher	Sadde-Stitch Booklet Finisher	412207	\$ 0.00489770
SR841 Finisher Bundle	100 Sheet Stapler Finisher 3,000/100/4	002451MIU	\$ 0.00525300
	Coverts the tandem paper tray to an 11x17 1,100		
"11"x"17" Tray Unit Type 2105	sheet LCT	411398	\$ 0.00135590
Tab Sheet Holder Type 3260	Used to hold tab paper straight in the paper drawer	412209	\$ 0.00073300
2/3-Hole Punch Kit Type 1075	2 and 3 hole punch unit for SR841 and SR970 finisher	411198	\$ 0.00109620

Hybrid Machines				
	·			
Vendor Name:	BUSINESS WORLD			
Speed:	50 - 59 Pages per Minute	AASIS VEN#	100050054	
Monthly Maximum Volume:	50,000	AASIS MAT#	10119117	
Manufacturer Brand:	Ricoh	Model #	Aficio 3260C	
Counties to be covered at this	price:			
Arkansas, Clark, Cleveland, Cor	nway, Dallas, Faulkner, Garland, Grant, Hot Springs, Jeff	erson, Lincoln,	Lonoke,	
Monroe, Perry, Pope, Prairie, P	ulaski, Saline, White			
Estimated Delivery timeline af	ter receipt of order:	15	Days	
	Accessories & Additional Features Cos	st		
Component Description	Component Capabilities	Component Identification	Cost (CPC)	
Cover Interposer Tray Type	Allows you to insert preprinted covers without passing			
3260	through fuser	412213	\$ 0.00124	640
8 1/2"x14" Tray Type 1075	Converts the RT43 LCT to hold legal size paper	411187	\$ 0.00105	660
Scanner Printer Kit type 3260	Scan/Print Controller with Network Interface Card	002449MIU	\$ 0.00409	510
PostScript3 Unit type 3260	Adobe PostScript3 - Used mainly in MAC environment	412223	\$ 0.00178	550
Data Overwrite Security Option				
Type C	Real time hard drive encription (writes over 2 times)	411989	\$ 0.00094	150
IEEE802.11b Interface Unit				
Type II	Wireless Interface for networking	402378	\$ 0.00094	920
IEEE1394 Interface Board Type				
В	Fire-wire Interface for networking	411264	\$ 0.00094	920

Coverts the tandem paper tray to an 11x17 1,100 "11"x"17" Tray Unit Type 2105 sheet LCT 411398 \$ 0.00110390 Tab Sheet Holder Type 3260 Used to hold tab paper straight in the paper drawer 412209 \$ 0.00068860 2/3-Hole Punch Kit Type 1075 2 and 3 hole punch unit for SR841 and SR970 finisher 411198 \$ 0.00093080 Cover Interposer Tray Type Allows you to insert preprinted covers without passing	Hybrid Machines				
Speed: 60 + Pages per Minute AASIS VEN 100050054	Vondor Namo:	Van der Names			
Manufacturer Brand:			AASIS VEN#	100050054	
Counties to be covered at this price: Arkansas, Clark, Cleveland, Conway, Dallas, Faulkner, Garland, Grant, Hot Springs, Jefferson, Lincoln, Lonoke, Monroe, Perry, Pope, Prairie, Pulaski, Saline, White Estimated Delivery timeline after receipt of order:	-				
Counties to be covered at this price: Arkansas, Clark, Cleveland, Conway, Dallas, Faulkner, Garland, Grant, Hot Springs, Jefferson, Lincoin, Lonoke, Morroe, Perry, Pope, Prainie, Pulaski, Saline, White Estimated Delivery timeline after receipt of order: Unit Requirements Required Capabilities Minimum Specifications Required Capabilities Minimum Specifications Part # Maintenance/Service Cost Unit Requirements Required Capabilities Minimum Specifications Part # Maintenance/Service Cost (CPC) Features Five paper sources (5,000 sht. min.) Including bypass (50 sht. min.) tray Including byp		,			
Arkansas, Clark, Cleveland, Corway, Dallas, Faulkner, Garland, Grant, Hot Springs, Jefferson, Lincoln, Lonoke, Monroe, Perry, Pope, Prairie, Pulaski, Saline, White Hardware Requirements & Maintenance/Service Cost Required Capabilities Minimum Specifications Part # Color Cost (CPC) Features Five paper sources (5,000 sht. min.) standard including bypass (50 sht. min.) tray standard including bypass (50 sht. min.) tray standard Auto 2.2 duplex photo mode standard standard standard photo mode standard standard standard photo mode standard standard standard standard photo mode standard standard standard standard standard standard photo mode standard interrupt key standard and photo mode standard standard interrupt key standard and photo mode standard standard standard standard finisher 2000/50/3 standard standard finisher 2000/50/3 standard finisher 2000/50/3 standard standard finisher 2000/50/3 standard standard standard finisher 2000/50/3 standard standard standard finisher 2000/50/3 standard	Manufacturer Brand:	Nicon	iwoaei #	AllGl0 3200C	
Arkansas, Clark, Cleveland, Corway, Dallas, Faulkner, Garland, Grant, Hot Springs, Jefferson, Lincoln, Lonoke, Monroe, Perry, Pope, Prairie, Pulaski, Saline, White Hardware Requirements & Maintenance/Service Cost Required Capabilities Minimum Specifications Part # Color Cost (CPC) Features Five paper sources (5,000 sht. min.) standard including bypass (50 sht. min.) tray standard including bypass (50 sht. min.) tray standard Auto 2.2 duplex photo mode standard standard standard photo mode standard standard standard photo mode standard standard standard standard photo mode standard standard standard standard standard standard photo mode standard interrupt key standard and photo mode standard standard interrupt key standard and photo mode standard standard standard standard finisher 2000/50/3 standard standard finisher 2000/50/3 standard finisher 2000/50/3 standard standard finisher 2000/50/3 standard standard standard finisher 2000/50/3 standard standard standard finisher 2000/50/3 standard	Counties to be covered at this	price:			
Estimated Delivery timeline after receipt of order:			erson, Lincoln,	Lonoke,	
Hardware Requirements & Maintenance/Service Cost				,	
Hardware Requirements & Maintenance/Service Cost					
Unit Requirements	Estimated Delivery timeline af	ter receipt of order:	15	Days	
Unit Requirements					
Type	H-	ardware Requirements & Maintenance/Serv	ice Cost		
Five paper sources (5,000 sht. min.) standard sta	Unit Requirements	Required Capabilities- Minimum Specifications	Part #	Maintenance/Service	
Including bypass (50 sht. min.) tray			412507	Color Cost (CPC)	
RADF	Features	Five paper sources (5,000 sht. min.)	standard	\$0.01741420	
Auto 2:2 duplex			standard		
Photo mode		RADF	standard	Maintenance/Service	
book copy standard \$0.10000000 job programs standard Standard Standard 2-in-1 standard Standard booklet mode standard \$0.01306065 covers standard standard covers standard erase standard erase standard APS standard ATS Standard		Auto 2:2 duplex	standard	Black & White Cost	
job programs		photo mode	standard		
2-in-1		book copy	standard	\$0.10000000	
booklet mode			standard		
margin shift		2-in-1	standard		
Covers Standard Interrupt key Standard Interrupt key Standard Interrupt key Standard APS Standard ATS Standard ATS Standard Standard Standard ATS Standard Standard Standard Intisher 2000/50/3 A12205 Copy control/elect. auditron (10 accts min.) Standard Stand		booklet mode	standard	\$0.01306065	
erase standard interrupt key standard APS standard ATS Standard Standard Standard ATS Standard ATS Standard Standard Standard ATS AT		margin shift	standard		
Interrupt key		covers	standard		
APS		erase	standard		
ATS			standard		
QUANTITY SELECTOR 1-999 (min.) standard finisher 2000/50/3 412205 copy control/elect. auditron (10 accts min.) standard Standard To 11" X 17" standard Stand			standard		
Finisher 2000/50/3			4		
Copy control/elect. auditron (10 accts min.) Standard					
Originals To 11" X 17" standard Produces Copies 5 1/2" X 8 1/2" to 11" X 17" standard Resolution 600 X 600dpi standard Reduction & Enlargement Range approx. 25-400% zoom with presets standard Memory 32 MB standard Support Cost Advanced Installation Flat Fee \$0.0 Networking & Troubleshooting Flat Fee \$0.0 Accessories & Additional Features Cost Component Description Component Capabilities Part # Cost (CPC) SR980 Saddle Stitch Finisher Sadde-Stitch Booklet Finisher 412207 \$0.00406510 SR841 Finisher Bundle 100 Sheet Stapler Finisher 3,000/100/4 002451MIU \$0.00415020 Coverts the tandem paper tray to an 11x17 1,100 ** 411398 \$0.00110390 "11"x"17" Tray Unit Type 2105 Sheet LCT 411398 \$0.00110390 Tab Sheet Holder Type 3260 Used to hold tab paper straight in the paper drawer 412209 \$0.00068860 2/3-Hole Punch Kit Type 1075 2 and 3 hole punch unit for SR841 and SR970 finisher <td></td> <td></td> <td></td> <td></td>					
Produces Copies 5 1/2" X 8 1/2" to 11" X 17" standard Resolution 600 X 600dpi standard Reduction & Enlargement Range approx. 25-400% zoom with presets standard Stand					
Resolution 600 X 600dpi standard Reduction & Enlargement Range approx. 25-400% zoom with presets standard stand	~				
Reduction & Enlargement Range approx. 25-400% zoom with presets standard standard Support Cost	•				
Support Cost		'			
Support Cost Advanced Installation Networking & Troubleshooting Accessories & Additional Features Cost Component Description SR980 Saddle Stitch Finisher SR841 Finisher Bundle 100 Sheet Stapler Finisher 3,000/100/4 002451MIU Coverts the tandem paper tray to an 11x17 1,100 sheet Holder Type 2105 Tab Sheet Holder Type 3260 Used to hold tab paper straight in the paper drawer 2/3-Hole Punch Kit Type 1075 Accessories & Additional Features Cost Component Capabilities Part # Cost (CPC) 0.00406510 0.00406510 0.00415020 Coverts the tandem paper tray to an 11x17 1,100 sheet LCT 411398 0.00110390 0.00068860 2/3-Hole Punch Kit Type 1075 2 and 3 hole punch unit for SR841 and SR970 finisher 411198 0.00093080 Cover Interposer Tray Type Allows you to insert preprinted covers without passing					
Accessories & Additional Features Cost Component Description SR980 Saddle Stitch Finisher SR841 Finisher Bundle Successories the tandem paper tray to an 11x17 1,100 Sheet Holder Type 3260 Used to hold tab paper straight in the paper drawer Accessories & Additional Features Cost Component Description Component Capabilities Part # Cost (CPC) SR980 Saddle Stitch Finisher Sadde-Stitch Booklet Finisher 3,000/100/4 002451MIU 0.00415020 Coverts the tandem paper tray to an 11x17 1,100 Sheet LCT 411398 0.00110390 Tab Sheet Holder Type 3260 Used to hold tab paper straight in the paper drawer 412209 0.00068860 2/3-Hole Punch Kit Type 1075 Allows you to insert preprinted covers without passing	Memory	[32 MB	standard		
Accessories & Additional Features Cost Component Description SR980 Saddle Stitch Finisher SR841 Finisher Bundle Successories the tandem paper tray to an 11x17 1,100 Sheet Holder Type 3260 Used to hold tab paper straight in the paper drawer Accessories & Additional Features Cost Component Description Component Capabilities Part # Cost (CPC) SR980 Saddle Stitch Finisher Sadde-Stitch Booklet Finisher 3,000/100/4 002451MIU 0.00415020 Coverts the tandem paper tray to an 11x17 1,100 Sheet LCT 411398 0.00110390 Tab Sheet Holder Type 3260 Used to hold tab paper straight in the paper drawer 412209 0.00068860 2/3-Hole Punch Kit Type 1075 Allows you to insert preprinted covers without passing		Support Coot			
Networking & Troubleshooting	Advanced Installation	Support Cost	Flat Fee	\$0.00	
Accessories & Additional Features Cost Component Description Component Capabilities Part # Cost (CPC) SR980 Saddle Stitch Finisher Sadde-Stitch Booklet Finisher 412207 \$ 0.00406510 SR841 Finisher Bundle 100 Sheet Stapler Finisher 3,000/100/4 002451MIU \$ 0.00415020 Coverts the tandem paper tray to an 11x17 1,100 "11"x"17" Tray Unit Type 2105 sheet LCT 411398 \$ 0.00110390 Tab Sheet Holder Type 3260 Used to hold tab paper straight in the paper drawer 412209 \$ 0.00068860 2/3-Hole Punch Kit Type 1075 2 and 3 hole punch unit for SR841 and SR970 finisher 411198 \$ 0.00093080 Cover Interposer Tray Type Allows you to insert preprinted covers without passing					
Component Description Component Capabilities Part # Cost (CPC) SR980 Saddle Stitch Finisher Sadde-Stitch Booklet Finisher 412207 \$ 0.00406510 SR841 Finisher Bundle 100 Sheet Stapler Finisher 3,000/100/4 002451MIU \$ 0.00415020 Coverts the tandem paper tray to an 11x17 1,100 "11"x"17" Tray Unit Type 2105 sheet LCT 411398 \$ 0.00110390 Tab Sheet Holder Type 3260 Used to hold tab paper straight in the paper drawer 412209 \$ 0.00068860 2/3-Hole Punch Kit Type 1075 2 and 3 hole punch unit for SR841 and SR970 finisher 411198 \$ 0.00093080 Cover Interposer Tray Type Allows you to insert preprinted covers without passing	retworking & rioublesmooting		i ci riodi	ψ123.00	
Component Description Component Capabilities Part # Cost (CPC) SR980 Saddle Stitch Finisher Sadde-Stitch Booklet Finisher 412207 \$ 0.00406510 SR841 Finisher Bundle 100 Sheet Stapler Finisher 3,000/100/4 002451MIU \$ 0.00415020 Coverts the tandem paper tray to an 11x17 1,100 "11"x"17" Tray Unit Type 2105 sheet LCT 411398 \$ 0.00110390 Tab Sheet Holder Type 3260 Used to hold tab paper straight in the paper drawer 412209 \$ 0.00068860 2/3-Hole Punch Kit Type 1075 2 and 3 hole punch unit for SR841 and SR970 finisher 411198 \$ 0.00093080 Cover Interposer Tray Type Allows you to insert preprinted covers without passing		Accessories & Additional Features Co.	st		
SR980 Saddle Stitch Finisher Sadde-Stitch Booklet Finisher 412207 \$ 0.00406510 SR841 Finisher Bundle 100 Sheet Stapler Finisher 3,000/100/4 002451MIU \$ 0.00415020 Coverts the tandem paper tray to an 11x17 1,100 sheet LCT 411398 \$ 0.00110390 Tab Sheet Holder Type 3260 Used to hold tab paper straight in the paper drawer 412209 \$ 0.00068860 Cover Interposer Tray Type Allows you to insert preprinted covers without passing	Component Description			Cost (CPC)	
SR841 Finisher Bundle 100 Sheet Stapler Finisher 3,000/100/4 Coverts the tandem paper tray to an 11x17 1,100 "11"x"17" Tray Unit Type 2105 Sheet LCT Tab Sheet Holder Type 3260 Used to hold tab paper straight in the paper drawer 2/3-Hole Punch Kit Type 1075 2 and 3 hole punch unit for SR841 and SR970 finisher Cover Interposer Tray Type Allows you to insert preprinted covers without passing		Sadde-Stitch Booklet Finisher			
Coverts the tandem paper tray to an 11x17 1,100 "11"x"17" Tray Unit Type 2105 sheet LCT 411398 \$ 0.00110390 Tab Sheet Holder Type 3260 Used to hold tab paper straight in the paper drawer 412209 \$ 0.00068860 2/3-Hole Punch Kit Type 1075 2 and 3 hole punch unit for SR841 and SR970 finisher 411198 \$ 0.00093080 Cover Interposer Tray Type Allows you to insert preprinted covers without passing				-	
"11"x"17" Tray Unit Type 2105 sheet LCT					
Tab Sheet Holder Type 3260 Used to hold tab paper straight in the paper drawer 412209 \$ 0.00068860 2/3-Hole Punch Kit Type 1075 2 and 3 hole punch unit for SR841 and SR970 finisher 411198 \$ 0.00093080 Cover Interposer Tray Type Allows you to insert preprinted covers without passing	"11"x"17" Tray Unit Type 2105		411398	\$ 0.00110390	
2/3-Hole Punch Kit Type 1075 2 and 3 hole punch unit for SR841 and SR970 finisher 411198 \$ 0.00093080 Cover Interposer Tray Type Allows you to insert preprinted covers without passing					
Cover Interposer Tray Type Allows you to insert preprinted covers without passing	- 71	1 1 3 2 2 2 2 2 2 2			
Cover Interposer Tray Type Allows you to insert preprinted covers without passing	2/3-Hole Punch Kit Type 1075	2 and 3 hole punch unit for SR841 and SR970 finisher	411198	\$ 0.00093080	
		·	İ		
3260	3260	through fuser	412213	\$ 0.00104760	
· ·					

Hybrid Machines			
	•		
Vendor Name:	BUSINESS WORLD		
Speed:	60 + Pages per Minute	AASIS VEN#	100050054
Monthly Maximum Volume:	75,000	AASIS MAT#	10119118
Manufacturer Brand:	Ricoh	Model #	Aficio 3260C
Counties to be covered at this	price:		
Arkansas, Clark, Cleveland, Con	way, Dallas, Faulkner, Garland, Grant, Hot Springs, Jeff	erson, Lincoln,	Lonoke,
Monroe, Perry, Pope, Prairie, Pu	ulaski, Saline, White		
Estimated Delivery timeline aft	er receipt of order:	15	Days
	Accessories & Additional Features Cos	st	
Component Description	Component Capabilities	Part #	Cost (CPC)
PostScript3 Unit type 3260	Adobe PostScript3 - Used mainly in MAC environment	412223	\$ 0.00139030
Data Overwrite Security Option			
Type C	Real time hard drive encription (writes over 2 times)	411989	\$ 0.00084260
IEEE802.11b Interface Unit			
Type II	Wireless Interface for networking	402378	\$ 0.00083280
IEEE1394 Interface Board	Fire-wire Interface for networking - Type B	411264	\$ 0.00083280

Hybrid Machines			
Vendor Name:	BUSINESS WORLD		
Speed:	80 + Pages per Minute	AASIS VEN#	100050054
Monthly Maximum Volume:	100,000	AASIS MAT#	10119119
Manufacturer Brand:		Model #	
Counties to be covered at this	price:		
		1	
Estimated Delivery timeline aft	er receipt of order:		Da
	- Land Danish and Company (Orange of Company)		
	ardware Requirements & Maintenance/Serv		
Unit Requirements	Required Capabilities- Minimum Specification	P: #	Ma nance/Se e
Type	Console; digital scanner		C Cost (C
Features	Five paper sources (5,000 sht. min.)		.0000000
	including bypass (50 sht. min.) tray		NA .
	RADF		Ma nance/ rvice
	Auto 2:7 aplex		Black & War & Cost
	photo ode		()
	book		\$0.00000000
	job grams		DIM O
	2-ir		BW Overage
	boo t mode		\$0.0000000
	ma shift		-
	cov		-
	erat		-
	inter		•
	APS		•
	ATS		•
	QUANTITY SELECTOR 1-999 (min.) finisher 2000/50/3		-
	copy control/elect. auditron (10 accts min.)		
Originals	To 11" X 17"		
Produces Copies	5 1/2" X 8 1/2" to 11" X 17"		
Resolution	600 X 600dpi		
Reduction & Enlargement	Range approx. 25-400% zoom with presets		
	32 MB		
Memory	OZ IVID		
	Support Cost		
Advanced Installation	Oupport Cost	Flat Fee	\$0.00
Networking & Troubleshooting		Per Hour	\$0.00
			+3100
	Accessories & Additional Features Co	st	
Component Description	Component Capabilities	Part #	Cost (CPC)
			\$0.0000000

Standard Terms Conditions

GENERAL: All terms and conditions stated in the invitation for bid govern this contract.

PRICES: Prices are firm and not subject to escalation, unless otherwise specified in the invitation for bid.

DISCOUNTS: All cash discounts offered will be taken if earned.

TAXES: Most state agencies must pay state sales tax. Before billing, the contractor should contact the ordering agency to find out if that agency must pay sales tax. Itemize state sales tax when applicable on invoices.

BRAND NAME REFERENCES: The contractor guarantees that the commodity delivered is the same as specified in the bid.

GUARANTY: All items delivered are to be newly manufactured, in first- class condition, latest model and design, including, where applicable, containers suitable for shipment and storage unless otherwise indicated in the bid invitation. The contractor guarantees that everything furnished hereunder will be free from defects in design, workmanship, and material; that if sold by drawing, sample or specification, it will conform thereto and will serve the function for which furnished. The contractor further guarantees that if the items furnished hereunder are to be installed by the contractor, such items will function properly when installed. The contractor also guarantees that all applicable laws have been complied with relating to construction, packaging, labeling, and registration. The contractor's obligations under this paragraph shall survive for a period of one year from the date of delivery, unless otherwise specified in the invitation for bid.

AWARD: This contract award does not authorize shipment. Shipment against this contract is authorized by the receipt of a purchase order from the ordering agency. A written purchase order mailed or otherwise furnished to the contractor results in a binding obligation without further action by either party.

DELIVERY: The term of the contract is shown on the face of the contract award. The contractor is required to supply the state's needs during this term. The number of days required to place the commodity in the receiving agency's designated location under normal conditions is also shown. Consistent failure to meet delivery without a valid reason may cause removal from the bidders' list or suspension of eligibility for award.

BACK ORDERS OR DELAY IN DELIVERY: Back orders or failure to deliver within the time required may be default of the contract. The contractor must give written notice to the Office of State Procurement and ordering agency of the reason and the expected delivery date. If the reason is not acceptable, the contractor is in default. The Office of State Procurement has the right to extend delivery if reasons appear valid. If the date is not acceptable, the agency may buy elsewhere.

DELIVERY REQUIREMENTS: No substitutions or cancellations are permitted without written approval of the Office of State Procurement. Delivery shall be made during agency work hours only, 8:00 a.m. to 4:30 p.m., unless prior approval for other delivery has been obtained from the agency. Packing memoranda shall be enclosed with each shipment.

STORAGE: The ordering agency is responsible for storage if the contractor delivers within the time required and the agency cannot accept delivery.

DEFAULT: All commodities furnished will be subject to inspection and acceptance of the ordering agency after delivery. Default in promised delivery or failure to meet specifications authorizes the Office of State Procurement to cancel this contract or any portion of same and reasonably purchase commodities elsewhere and charge full increase, if any, in cost and handling to the defaulting contractor.

VARIATION IN QUANTITY: The state assumes no liability for commodities produced, processed or shipped in excess of the amount specified herein.

INVOICING: The contractor shall submit an original and two copies of an itemized invoice showing the bid number and purchase request number when itemized in the invitation for bid. Invoices must be sent to "Invoice to" point shown on the purchase order. **STATE PROPERTY:** Any specifications, drawing, technical information, dies, cuts, negatives, positives, data or any other commodity furnished to the contractor hereunder or in contemplation hereof or developed by the contractor for the use hereunder shall remain property of the state, be kept confidential, be used only as expressly authorized, and be returned at the contractor's

expense to the F.O.B. point, properly identifying what is being returned.

ASSIGNMENT: This contract is not assignable nor the duties hereunder delegable by either party without the written consent of the other party to the contract.

OTHER REMEDIES: In addition to the remedies outlined herein, the contractor and the state have the right to pursue any other remedy permitted by law or in equity.

LACK OF FUNDS: The state may cancel this contract to the extent funds are no longer legally available for expenditures under this contract. Any delivered but unpaid for goods will be returned in normal condition to the contractor by the state. If the state is unable to return the commodities in normal condition and there are no funds legally available to pay for the goods, the contractor may file a claim with the Arkansas Claims Commission. If the contractor has provided services and there are no longer funds legally available to pay for the services, the contractor may file a claim.

QUANTITIES: The state may order more or less than the estimated quantity in the invitation for bid.

DISCLOSURE: Failure to make any disclosure required by the Governor's Executive Order 98-04, or any violation of any rule, regulation, or policy adopted pursuant to that order, shall be a material breach of the terms of this contract. Any contractor, whether an individual or entity, who fails to make the required disclosure or who violates any rule, regulation, or policy shall be subject to all legal remedies available to the agency.